



HOROZ®

ELECTRIC

E x p e r i e n c e i n L i g h t i n g



2021

CATALOGUE

www.horozelektrik.com



HOROZ®

ELECTRIC



E x p e r i e n c e i n L i g h t i n g

ADHESIVE TAPE	143	LED RECESSED SENSOR LAMP	116
ALUMINIUM BULKHEAD LAMP	100	NEW LED SENSOR BULB	5
BATHROOM LAMP	73	LED SOLAR CAMPING LIGHT	127
CABLE REEL	144	LED SOLAR HOUSE NUMBER LIGHT	114
CABLE TIE	143	LED SOLAR LAMP	113
CEILING LAMP	69	LED SOLAR PROJECTOR	90
COAXIAL CABLE CONNECTOR	143	LED SOLAR STREET LIGHT	98
CONTRACTOR	144	LED SPOTLIGHT	42
CONTACTOR	139	LED STREET LIGHT	99
DECORATIVE CEILING LAMP	67	LED STRIP	119
DESK LAMP	80	LED SUSPENSION LIGHT	45
DIMMABLE LED BULB	4	NEW LED SURFACE BACKLIGHT	34
DIMMABLE LED CAPSULE	10	LED SURFACE LIGHT	35
DIMMER	135	LED TORCH	130
DOORBELL	134	LED TRACK LIGHT	38
DOWNLIGHT FITTING	20	LED TUBE	9
DRYWALL KIT	33	LED TUBE FIXTURE	87
ELECTRONIC WALL LAMP	86	LED WALL LIGHT	62
EMERGENCY LED LANTERN	128	LED WALLWASHER	97
ENERGY SAVING LAMP	17	LED WATERPROOF LAMP	85
FLOOR LAMP	82	LIGHT CONTROL PHOTOSENSOR	132
FLUORESCENT TUBE	17	LIGHTING TRACK	43
FRAME	33	MERCURY LAMP	19
GARDEN LAMP	101	METAL HALIDE LAMP	19
GLASS PENDANT LAMP	59	MINIATURE CIRCUIT BREAKER	140
HALOGEN LAMP	18	MODULE LED & APPARATUS	95
LAMP HOLDER	142	MOTOR PROTECTOR	138
LED BACKLIGHT PANEL	31	MOULDED CASE CIRCUIT BREAKER	141
LED BATTEN LIGHT	84	NAIL CABLE CLIP	143
LED BULB	4	NETWORK CABLE	143
LED CANOPY LIGHT	97	PENDANT LAMP	58
LED CAPSULE	10	PLUG IN SWITCH	135
LED CEILING LAMP	68	PORTABLE LED PROJECTOR	96
LED CHRISTMAS LIGHT & DRIVERS	126	PROJECTOR STAND	96
LED CRYSTAL SUSPENSION LIGHT	52	RECESSED MONOPOINT	43
LED DECORATIVE CEILING LAMP	64	RECHARGEABLE LED BULB	6
LED DESK LAMP	79	REFLECTOR LAMP	18
LED DOWNLIGHT	23	RESIDUAL CURRENT CIRCUIT BREAKER	141
LED DRIVER	122	RGB AMPLIFIER	125
LED EMERGENCY EXIT LAMP	131	RGB CONTROLLER	125
LED FILAMENT BULB	12	RGB RF CONTROLLER	121
LED FLOOR LAMP	82	RGB SOCKET SET	121
NEW LED FRAME PANEL	33	SENSOR	132
LED GARDEN LAMP	106	SOCKET	136
LED HEADLIGHT	129	SOCKET SET	121
LED HIGH BAY LAMP	89	SPOTLIGHT	42
LED HOUSE NUMBER LIGHT	110	STARTER	143
LED INGROUND & RECESSED LAMP	116	STRING LIGHT	57
NEW LED LANTERN	127	SURFACE LIGHT	37
LED LINEAR HIGH BAY LAMP	88	SWITCH	136
LED LINEAR SUSPENSION LIGHT	44	TERMINAL BLOCK	144
NEW LED MODULE STRIP	124	THERMAL RELAY	139
LED NIGHT LAMP	83	TIMER	135
LED PANEL	32	NEW TOUCH CONTROLLER	125
LED PENDANT LAMP	57	TRACK CONNECTOR	43
NEW LED PHOTOCELL BULB	5	TRACK LIGHT	41
LED PICTURE & MIRROR LAMP	74	TRANSFORMER	143
LED PROJECTOR	91	WIRE SPRING	144
LED READING LAMP	78	WIRELESS LIGHTING CONTROLLER SWITCH	135



143 ADHESIVE TAPE



100 ALUMINIUM BULKHEAD LAMP



73 BATHROOM LAMP



144 CABLE REEL



143 CABLE TIE



69 CEILING LAMP



143 COAXIAL CABLE



144 CONNECTOR



139 CONTACTOR



67 DECORATIVE CEILING LAMP



80 DESK LAMP



4 DIMMABLE LED BULB



10 DIMMABLE LED CAPSULE



135 DIMMER



134 DOORBELL



20 NEW DOWNLIGHT FITTING



33 DRYWALL KIT



86 ELECTRONIC WALL LAMP



128 EMERGENCY LED LANTERN



17 ENERGY SAVING LAMP



82 FLOOR LAMP



17 FLUORESCENT TUBE



33 FRAME



101 GARDEN LAMP



59 GLASS PENDANT LAMP



18 HALOGEN LAMP



142 LAMP HOLDER



31 NEW LED BACKLIGHT PANEL




84 LED BATTEN LIGHT



4 LED BULB



97 LED CANOPY LIGHT



10 LED CAPSULE



68 LED CEILING LAMP




126 LED CHRISTMAS LIGHT & DRIVERS



52 LED CRYSTAL SUSPENSION LIGHT



64 LED DECORATIVE CEILING LAMP



79 LED DESK LAMP



23 NEW LED DOWNLIGHT




122 LED DRIVER



131 LED EMERGENCY EXIT LAMP



12 NEW LED FILAMENT BULB



82 LED FLOOR LAMP



33 LED FRAME PANEL

NEW PRODUCT



106 LED GARDEN LAMP



129 LED HEADLIGHT



89 LED HIGH BAY LAMP



110 LED HOUSE NUMBER LIGHT



116 NEW LED IN-GROUND & RECESSED LAMP



127 LED LANTERN

NEW PRODUCT



88 LED LINEAR HIGH BAY LAMP



44 LED LINEAR SUSPENSION LIGHT



124 LED MODULE STRIP

NEW PRODUCT



83 LED NIGHT LAMP



32 LED PANEL



57 LED PENDANT LAMP



5 LED PHOTOCELL BULB


NEW PRODUCT



74 NEW LED PICTURE & MIRROR LAMP




91 LED PROJECTOR



78 LED READING LAMP

E x p e r i e n c e i n L i g h t i n g



116

LED RECESSED SENSOR LAMP



5

LED SENSOR BULB



127

LED SOLAR CAMPING LIGHT



114

LED SOLAR HOUSE NUMBER LIGHT



113

LED SOLAR LAMP



90

LED SOLAR PROJECTOR



98

LED SOLAR STREET LIGHT



42

LED SPOTLIGHT



99

LED STREET LIGHT



119

LED STRIP



45

LED SUSPENSION LIGHT



34

LED SURFACE BACKLIGHT



35

LED SURFACE LIGHT




130

LED TORCH



38

LED TRACK LIGHT




9

LED TUBE



87

LED TUBE FIXTURE



62

LED WALL LIGHT



97

LED WALLWASHER




85

LED WATERPROOF LAMP



132

LIGHT CONTROL PHOTOSENSOR



43

LIGHTING TRACK



19

MERCURY LAMP



19

METAL HALIDE LAMP




140

MINIATURE CIRCUIT BREAKER



95

MODULE LED&APPARATUS



138

MOTOR PROTECTOR



141

MOULDED CASE CIRCUIT BREAKER



143

NAIL CABLE CLIP



143

NETWORK CABLE



58

PENDANT LAMP



135

PLUG IN SWITCH



96

PORTABLE LED PROJECTOR



96

PROJECTOR STAND



43

RECESSED MONOPOINT



6

RECHARGEABLE LED BULB




18

REFLECTOR LAMP



141

RESIDUAL CURRENT CIRCUIT BREAKER



125

RGB AMPLIFIER




125

RGB CONTROLLER



121

RGB RF CONTROLLER



121

RGB SOCKET SET



132

SENSOR




136

SOCKET



121

SOCKET SET




42

SPOTLIGHT



143

STARTER



57

STRING LIGHT



37

SURFACE LIGHT



136

SWITCH



144

TERMINAL BLOCK




139

THERMAL RELAY



135

TIMER



43

TRACK CONNECTOR



125

TOUCH CONTROLLER



41

TRACK LIGHT




143

TRANSFORMER



144

WIRE SPRING



135

WIRELESS LIGHTING CONTROLLER SWITCH

The copyright of the visual materials and photographs used in this catalogue belongs to Horoz Electric Inc. Print date: 01/2021





HOROZ ELECTRIC

LED Bulb / Dimmable LED Blub

PREMIER

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



SMD LED



PREMIER-5	PREMIER-8	PREMIER-10	PREMIER-12	PREMIER-15	PREMIER-18
001-006-0005	001-006-0008	001-006-0010	001-006-0012	001-006-0015	001-006-0018

Power	:	5 W	8 W	10 W	12 W	15 W	18 W
Luminous Flux	:	500 lm	850 lm	1000 lm	1050 lm	1400 lm	1600 lm
Sizes (mm)	:	A: 50 B: 89	A: 60 B: 108	A: 60 B: 112	A: 60 B: 118	A: 70 B: 138	A: 80 B: 148



HOROZ ELECTRIC

LED Bulb
LED Capsule
LED Tube



D I M M A B L E


EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K



10W SMD LED





HOROZ


ELECTRIC

LED Sensor Bulb / LED Photocell Bulb




FORCE-10

001 067 0010




- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K
- Detection Distance: 5-8m
- Delay Time: 20 sec



LED SENSOR BULB / LED PHOTOCELL BULB


DARK-10

001 068 0010




- 170-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1032 lm
- 4200K / 6400K

Built-in Photocell Sensor




DURAMAX-12


001 055 0012



- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1080 lm
- 6400K
- 3,7V 2200mAh Li-ion Battery
- Emergency Work: 4.5W - 500 lm



FONIX




- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K




	FONIX-4	FONIX-6	FONIX-8
	001-001-0004	001-001-0006	001-001-0008

Power	: 4 W	6 W	8 W
Luminous Flux	: 250 lm	390 lm	610 lm



PLUS




- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K



	PLUS-4	PLUS-6	PLUS-8	PLUS-10
	001-002-0004	001-002-0006	001-002-0008	001-002-0010

Power	: 4 W	6 W	8 W	10 W
Luminous Flux	: 250 lm	390 lm	610 lm	800 lm



D I M M A B L E

VISION-6

001 022 0006



DIMMABLE



- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 390 lm
- 3000K / 4200K / 6400K



CONVEX-8

001 064 0008





- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 740 lm
- 3000K / 4200K / 6400K





ULTRA

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





SMD LED

	ULTRA-4	ULTRA-6	ULTRA-8	ULTRA-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 99	A: 37 B: 99	A: 38 B: 108	A: 38 B: 108

CRAFT

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





SMD LED

	CRAFT-4	CRAFT-6	CRAFT-8	CRAFT-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Sizes (mm)	A: 37 B: 128	A: 37 B: 128	A: 38 B: 141.5	A: 38 B: 141.5

ELITE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





SMD LED

	ELITE-4	ELITE-6	ELITE-8	ELITE-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	250 lm	480 lm	800 lm	1000 lm
Lamp Holder	E14 / E27	E14 / E27	E14 / E27	E14 / E27
Sizes (mm)	A: 45 B: 78	A: 45 B: 78	A: 45 B: 88	A: 45 B: 88

REFLED

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K




SMD LED

	REFLED-4	REFLED-6	REFLED-10	REFLED-12
Power	4 W	6 W	10 W	12 W
Luminous Flux	210 lm	480 lm	720 lm	1000 lm
Lamp Holder	E14	E14	E27	E27
Sizes	A: 39 B: 68	A: 50 B: 86	A: 63 B: 100	A: 80 B: 115




TORCH

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




SMD LED

	TORCH-20	TORCH-30	TORCH-40	TORCH-50	TORCH-80	TORCH-100
	001-016-0020	001-016-0030	001-016-0040	001-016-0050	001-016-0080	001-016-0100
Power	20 W	30 W	40 W	50 W	80 W	100 W
Color Temperature	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	3000K/4200K/6400K	6400K	6400K
Lamp Holder	E27	E27	E27	E27	E27	E27 / E40
Luminous Flux	1650 lm	2400 lm	3150 lm	4000 lm	8000 lm	10000 lm
Sizes (mm)	A: 80 B: 140	A: 100 B: 171	A: 117 B: 198	A: 137 B: 229	A: 149 B: 258	A: 161 B: 266 (E27) A: 161 B: 281 (E40)




UFO PRO

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K





SMD LED

	UFO PRO-30	UFO PRO-50	UFO PRO-70
	001-056-0030	001-056-0050	001-056-0070
Power	30 W	50 W	70 W
Luminous Flux	3000 lm	5000 lm	7000 lm
Sizes (mm)	A: 130 B: 115	A: 150 B: 135	A: 170 B: 150



GLOBE

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3000K / 4200K / 6400K





SMD LED

	GLOBE-16	GLOBE-20
	001-019-0016	001-020-0020
Power	16 W	20 W
Luminous Flux	1400 lm	1650 lm
Sizes (mm)	A: 95 B: 136.5	A: 120 B: 161

UFO-15

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K

001 044 0015




15W SMD LED






TRIO-R


001 065 0036



- 100-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3200 lm
- 6400K




FOLDABLE




DAISY

001 061 0040

- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs




FOLDABLE



LED BULB / LED TUBE

LED TUBE




- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



GLASS COVER


	LED TUBE-60	LED TUBE-120	LED TUBE-150
	002-001-0009	002-001-0018	002-001-0024
Power	: 9 W	: 18 W	: 24 W
Luminous Flux	: 750 lm	: 1450 lm	: 2400 lm
Length (mm)	: L: 600	: L: 1200	: L: 1500






PETA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




SMD LED

	PETA-4	PETA-6	PETA-8	PETA-10
Power	4 W	6 W	8 W	10 W
Luminous Flux	330 lm	480 lm	680 lm	800 lm
Sizes (mm)	A: 15,9 B: 48,7	A: 16 B: 50	A: 18,5 B: 55	A: 18,5 B: 63




DECO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 4200K / 6400K




SMD LED

	DECO-3	DECO-7
Power	3 W	7 W
Luminous Flux	300 lm	630 lm
Sizes (mm)	A: 16 B: 48	A: 16,4 B: 60




MEGA

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



SMD LED

	MEGA-3	MEGA-5
Power	3 W	5 W
Luminous Flux	240 lm	340 lm
Sizes (mm)	A: 15,6 B: 51	A: 15,6 B: 63





EXA-3

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K



001 047 0003




3W COB LED

D I M M A B L E


NANO

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



POWER LED


	NANO-2	NANO-3
Power	1.5 W	3 W
Luminous Flux	105 lm	210 lm





CORN


- 170-265V / 50-60Hz
- Average Life: 20.000 Hrs



SMD LED

CORN-4	CORN-7
001-062-0004	001-062-0007

Power	: 4 W	7 W
Luminous Flux	: 360 lm	760 lm
Color Temperature	: 2700K/4200K/6400K	6400K
Sizes (mm)	: A: 30 B: 95	A: 35 B: 135




GIGA-4


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 360 lm
- 6400K



001 046 0004



4W SMD LED




MINI


- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K



001 009 0002




1.5W COB LED



MICRO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



SMD LED

MICRO-2	MICRO-3
001-010-0002	001-010-0003

Power	: 1.5 W	3 W
Luminous Flux	: 90 lm	150 lm
Sizes (mm)	: A: 12 B: 34	A: 12 B: 36




MIDI


- 12V DC
- Average Life: 25.000 Hrs
- 110 lm
- 2700K / 6400K



001 012 0002




1.5W SMD LED



D I M M A B L E

PIKO


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 2700K / 6400K



POWER LED

PIKO-2	PIKO-3
001-007-0002	001-007-0003

Power	: 1.5 W	3 W
Luminous Flux	: 105 lm	210 lm




TERA-2


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K



001 024 0002



2W SMD LED






LED FILAMENT BULB

FILAMENT CANDLE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT LED

FILAMENT CANDLE-4	FILAMENT CANDLE-6
001-013-0004	001-013-0006

Power	:	4 W	6 W
Luminous Flux	:	420 lm	700 lm

FILAMENT FLAME

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




FILAMENT LED

FILAMENT FLAME-4	FILAMENT FLAME-6
001-014-0004	001-014-0006

Power	:	4 W	6 W
Luminous Flux	:	450 lm	700 lm

FILAMENT GLOBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2700K / 4200K




NEW PRODUCT

NEW PRODUCT

FILAMENT GLOBE-4	FILAMENT GLOBE-6	FILAMENT GLOBE-8	FILAMENT GLOBE-10	FILAMENT GLOBE-12	FILAMENT GLOBE-15
001-015-0004	001-015-0006	001-015-0008	001-015-0010	001-015-0012	001-015-0015

Power	:	4 W	6 W	8 W	10 W	12 W	15 W
Luminous Flux	:	420 lm	650 lm	850 lm	1200 lm	1540 lm	1750 lm
Sizes (mm)	:	A: 60 B: 105	A: 60 B: 105	A: 60 B: 105	A: 67 B: 112	A: 67 B: 112	A: 70 B: 131







RUSTIC GLOBE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 030 0006




AMBER COLOR





RUSTIC VINTAGE-6

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

001 029 0006




AMBER COLOR



RUSTIC TUBE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



AMBER COLOR


FLAMENT LED	RUSTIC TUBE -6	RUSTIC TUBE -8
	001-033-0006	001-033-0008
Power :	6 W	8 W
Luminous Flux :	540 lm	720 lm
Sizes /mm) :	A: 30 B:185	A: 30 B: 235




RUSTIC TWIST-4

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

001 038 0004




AMBER COLOR




RUSTIC DIAMOND

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K




AMBER COLOR

FLAMENT LED	RUSTIC DIAMOND -4	RUSTIC DIAMOND -6
	001-034-0004	001-034-0006
Power :	6 W	8 W
Luminous Flux :	360 lm	540 lm
Sizes /mm) :	A: 95 B: 128	A: 120 B: 155




RUSTIC CRYSTAL

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2200K



AMBER COLOR



FLAMENT LED	RUSTIC CRYSTAL -4	RUSTIC CRYSTAL -6
	001-036-0004	001-036-0006
Power :	4 W	6 W
Luminous Flux :	360 lm	540 lm
Sizes /mm) :	A: 95 B: 120	A: 125 B: 160





TOLEDO

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs





FILAMENT LED

TOLEDO

001-049-0008


Power	:	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)



GINZA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

GINZA-XL



FILAMENT LED


GINZA

001-050-0008

GINZA-XL

001-050-0008


Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 180 B: 190	A: 230 B: 200



ENIGMA

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ENIGMA-XL




ENIGMA

001-051-0008

ENIGMA-XL

001-051-0008

Power	:	8 W	8 W
Luminous Flux	:	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature	:	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm)	:	A: 120 B: 225	A: 185 B: 345







PARADOX

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

PARADOX-XL






FLAMENT LED

	PARADOX	PARADOX-XL
	001-052-0008	001-052-0008
Power :	8 W	8 W
Luminous Flux :	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature :	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm) :	A: 120 B: 270	A: 188 B: 400

ORIGAMI

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ORIGAMI-XL





FLAMENT LED

	ORIGAMI	ORIGAMI-XL
	001-053-0008	001-053-0008
Power :	8 W	8 W
Luminous Flux :	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature :	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm) :	A: 120 B: 270	A: 180 B: 400

ELLIPTIC

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

ELLIPTIC-XL



FLAMENT LED

	ELLIPTIC	ELLIPTIC-XL
	001-054-0008	001-054-0008
Power :	8 W	8 W
Luminous Flux :	620 lm (Amber) / 250 lm (Titanium)	620 lm (Amber) / 250 lm (Titanium)
Color Temperature :	2200K (Amber) / 2400K (Titanium)	2200K (Amber) / 2400K (Titanium)
Sizes (mm) :	A: 95 B: 340	A: 115 B: 460



HOROZ



ELECTRIC

LED Bulb

FIREFLUX

- 100-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 117 lm
- 1500K

001 048 0005



5W SMD LED



Gravity Sensor



3 Modes



Flame Mode



General Lighting Mode




Breathing Mode



PINE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 059 0002



2W SMD LED




- 6400K** 236 lm
- RED** 19 lm
- AMBER** 154 lm
- BLUE** 32 lm
- GREEN** 187 lm
- PINK** 175 lm



RAINBOW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0001



1W SMD LED



■ 105 lm



■ 34 lm



■ 68 lm



■ 12 lm




■ 120 lm



SPECTRA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs

001 017 0003



3W SMD LED



■ 315 lm



■ 102 lm



■ 205 lm



■ 38 lm




■ 250 lm



**HOROZ ELECTRIC**

Fluorescent Tube / Energy Saving Lamp

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



TUBE-5



TUBE-8



	T5				
	TUBE-5	TUBE-5	TUBE-5	TUBE-5	TUBE-5
	004-001-0006	004-001-0008	004-001-0013	004-001-0021	004-001-0028
Power :	6 W	8 W	13 W	21 W	28 W
Luminous Flux :	280-310 lm	400-430 lm	1045-1140 lm	1660-1850 lm	2350-2470 lm
Length (mm) :	L: 230	L: 300	L: 530	L: 860	L: 1160



	T8			
	TUBE-8	TUBE-8	TUBE-8	TUBE-8
	004-003-0010	004-003-0015	004-003-0018	004-003-0036
Power :	10 W	15 W	18 W	36 W
Luminous Flux :	280-310 lm	560-630 lm	960-1150 lm	2400-2760 lm
Length (mm) :	L: 347	L: 450	L: 600	L: 1200

**HOROZ ELECTRIC**



Fluorescent Tube Energy Saving Lamp



FLUORESCENT TUBE / ENERGY SAVING LAMP

FULL



- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



	Energy Saving Lamp				
	FULL-35	FULL-45	FULL-65	FULL-85	FULL-105
	003-001-0035	003-001-0045	003-001-0065	003-001-0085	003-001-0105
Power :	35 W	45 W	65 W	85 W	105 W
Color Temp. :	6400K	6400K	6400K	6400K	6400K
Luminous Flux :	350 lm	1750 lm	2500 lm	3500 lm	4400 lm
Lamp Holder :	E27	E27	E27	E27	E27
Tube Diameter :	T4	T4	T5	T5	T6
Sizes (mm) :	A: 61 B: 174	A: 83 B: 174	A: 83 B: 174	A: 105 B: 174	A: 105 B: 174

HALF

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- Tube Diameter: T3



	Energy Saving Lamp			
	HALF-9	HALF-12	HALF-15	HALF-26
	003-002-0009	003-002-0012	003-002-0015	003-002-0026
Power :	9 W	12 W	15 W	26 W
Color Temp. :	2700K / 6400K	2700K / 6400K	2700K / 6400K	2700K
Luminous Flux :	410 lm / 400 lm	550 lm / 540 lm	770 lm / 750 lm	1380 lm
Lamp Holder :	E14 / E27	E14 / E27	E14 / E27	E27
Sizes (mm) :	A: 37 B: 108	A: 40 B: 125	A: 40 B: 135	A: 52 B: 146


**HOROZ ELECTRIC**

Halogen Lamp / Reflector Lamp

Average Life: 2.000 Hrs



	GU 10 CLOSED	JCDR OPEN	JCDR CLOSED	MR16 CLOSED
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz	12V AC
Power	50 W	50 W	50 W	20 W / 50 W
Luminous Flux	340 lm	650 lm	550 lm	200 lm / 600 lm
Lamp Holder	GU10	GU5.3	GU5.3	GU5.3

**HOROZ ELECTRIC**


Halogen Lamp



Average Life: 2.000 Hrs




	78 mm	118 mm	189 mm
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	150W	300 W / 500W	1000W
Luminous Flux	1600 lm	4000 lm / 7500 lm	18000 lm
Sizes (mm)	A: 10 B: 78	A: 13 B: 118	A: 13 B: 189



Average Life: 2.000 Hrs




	JC G4	JC G4 WHITE
	12V AC	12V AC
Power	20 W	20 W
Luminous Flux	250 lm	120 lm



Average Life: 2.000 Hrs




	G9 CLEAR	G9 WHITE	G9 FROST
	220-240V/50-60 Hz	220-240V/50-60 Hz	220-240V/50-60 Hz
Power	25 W / 40W	25 W / 40W	25 W / 40W
Luminous Flux	270 lm / 420 lm	100 lm / 220 lm	220 lm / 500 lm

**HOROZ ELECTRIC**

Reflector Lamp

**R**

220-240V / 50-60Hz
Average Life: 1.000 Hrs



	R39	R50-40	R50-60	R63-60	R80-60	R80-75	R80-100
	007-001-0030	007-002-0040	007-002-0060	007-003-0060	007-004-0060	007-004-0075	007-004-0100
Power	30 W	40 W	60 W	60 W	60 W	75 W	100 W
Luminous Flux	150 lm	280 lm	460 lm	400 lm	380 lm	580 lm	900 lm
Lamp Holder	E14	E14	E14	E27	E27	E27	E27
Sizes (mm)	A: 39 B: 68	A: 50 B: 82	A: 50 B: 82	A: 63 B: 95	A: 80 B: 105	A: 80 B: 105	A: 80 B: 105



HOROZ ELECTRIC


Mercury Lamp / Metal Halide Lamp

PLANET

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 4400K



Use Without Ballast




	PLANET-125 008-002-0125	PLANET-160 008-002-0160	PLANET-250 008-002-0250
Power	125 W	160 W	250 W
Luminous Flux	2560 lm	3200 lm	4900 lm
Lamp Holder	E27	E27	E40
Sizes (mm)	A: 70 B: 150	A: 70 B: 155	A: 90 B: 230

KRIPTON

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 5500K



Use With Ballast



	KRIPTON-125 008-001-0125	KRIPTON-250 008-001-0250	KRIPTON-400 008-001-0400
Power	125 W	250 W	400 W
Luminous Flux	4990 lm	11025 lm	21000 lm
Lamp Holder	E27	E40	E40
Sizes (mm)	A: 70 B: 150	A: 90 B: 230	A: 110 B: 260



HOROZ ELECTRIC

Mercury Lamp Metal Halide Lamp




NEXUS

- 220-240V / 50-60Hz
- 35.000-38.000 lm (WHITE)
- 8.000-10.000 lm (BLUE)
- 28.000-31.000 lm (GREEN)
- 20.000-23.000 lm (RED)
- Average Life: 6.000 Hrs




Use With Ballast

009 002 0400




MERKÜR

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 11000 lm
- 4000K



Use With Ballast

009 001 0150





HOROZ ELECTRIC


Downlight Fitting

MEYAN

■ Lamp holder not included


WHITE

BLACK




MEYAN-R

015-029-0001



MEYAN-S

015-030-0001



HOROZ ELECTRIC



Downlight Fitting



PETUNYA

■ Lamp holder not included

BLACK&WHITE



PETUNYA-1

015-028-0001


PETUNYA-2

015-028-0002

PETUNYA-3

015-028-0003

Power	: Max. 50 W	Max. 2x50 W	Max. 3x50 W
Cutting Size (mm)	: 93x93	93x170	93x256
Sizes (mm)	: A: 100 B: 100 C: 32	A: 100 B: 185 C: 32	A: 100 B: 270 C: 32



KAMELYA

■ Lamp holder not included

015 025 0050




CHROME

MAT CHROME

BLACK

WHITE

GOLDEN



LAVANTA

■ Lamp holder not included

015 024 0050




CHROME

MAT CHROME

BLACK


WHITE

GOLDEN





KARANFİL

■ Lamp holder not included



KARANFİL-R

015-022-0050



KARANFİL-S

015-023-0050

WHITE




SARDUNYA

■ Lamp holder not included




WHITE



SARDUNYA-R

015-017-0050




SARDUNYA-S

015-018-0050




ORKİDE

015 007 0050



MENEKŞE

015 008 0050



CHROME

MAT CHROME

GOLDEN

WHITE

■ 220-240V / 50-60Hz
■ Max. 50W



■ 220-240V / 50-60Hz
■ Max. 50W

WHITE

CHROME

MAT CHROME

GOLDEN

CHROME

MAT CHROME

GOLDEN

ANTIQUE RED COPPER

TITANIUM BLACK/GOLDEN

GOLDEN

CHROME

MAT CHROME

ANTIQUE RED COPPER

ANTIQUE GREEN




CHROME

MAT CHROME

GOLDEN


AÇELYA

015 009 0050




YONCA

015 015 0050




PAPATYA

015 016 0050



ORTANCA

015 010 0050




YASEMİN

■ 220-240V / 50-60Hz
■ Max. 20W

YELLOW CLEAR

BLUE BROWN PURPLE

015 005 0020





LED Downlight




NADIA

016 027 0001


MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K




SILVIA

016 039 0001



LAURA

016 038 0001



WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 70 lm
- 4200K



MONICA


016 003 0001



CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 80 lm
- 4200K



MIRANDA


016 004 0003



CHROME

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 260 lm
- 4200K



BIANCA


016 036 0003



WHITE

MAT CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K





BELLA

016 042 0003

CHROME
MAT CHROME
ROSE

WHITE
BLACK

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K

3W COB LED

2700K 4200K 6400K

Ø35

47 mm
32 mm
32 mm

LISA

016 031 0003

COB LED

2700K 4200K 6400K

Ø35

44 mm
48 mm

JULIA

016 032 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 125 lm
- 4200K

Ø35

44 mm
48 mm

ANGELA

016 002 0002

MAT CHROME

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 100 lm
- 4200K

Ø51

65 mm
20 mm

RITA

016 037 0003

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 210 lm
- 4200K

Ø35

Ø45 mm
35 mm

LUNA

016 041 0003

WHITE

- 220-220V / 50-60Hz
- Average Life: 20.000 Hrs
- 210 lm
- 4200K
- Recessed+Surface Mounting Available

Ø65

70 mm
14.5 mm

DIANA

016 006 0003

MAT CHROME
WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 200 lm (2700K)
- 220 lm (6500K)

Ø60


62 mm
55 mm

LED DOWNLIGHT



NORA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE

NEW PRODUCT


SMD LED

	NORA-5	NORA-7	NORA-9	NORA-12
	016-053-0005	016-053-0007	016-053-0009	016-053-0012
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35



MAYA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K




WHITE

NEW PRODUCT

SMD LED

	MAYA-5	MAYA-7	MAYA-9	MAYA-12
	016-054-0005	016-054-0007	016-054-0009	016-054-0012
Power	5 W	7 W	9 W	12 W
Luminous Flux	445 lm	630 lm	806 lm	1041 lm
Cutting Diameter (mm)	Ø70	Ø70	Ø90	Ø110
Sizes (mm)	A: 85.8 B: 25	A: 85.8 B: 25	A: 105 B: 31	A: 125 B: 35



GABRIEL

016 029 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 410 lm
- 4200K



JESSICA




016 030 0006



6W COB LED



IP65




**HOROZ****ELECTRIC**

LED Downlight

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 4200K / 6500K

MELISA

VICTORIA

MAT CHROME**WHITE****COB LED****MELISA-3****MELISA-5****VICTORIA-3****VICTORIA-5**


016-008-0003

016-008-0005

016-007-0003

016-007-0005

Power	:	3 W	5 W	3 W	5 W
Luminous Flux	:	230 lm	300 lm	230 lm	300 lm



VALERIA

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



SMD LED**VALERIA-5****VALERIA-7****VALERIA-9**

016-040-0005

016-040-0007

016-040-0009

Power	:	5 W	7 W	9 W
Luminous Flux	:	400 lm	560 lm	720 lm
Cutting Diameter (mm)	:	Ø50	Ø70	Ø95
Sizes (mm)	:	A: 20 B: 62 C: 55	A: 20 B: 82 C: 55	A: 20 B: 102 C: 55

**WHITE**

ADRIANA

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K




COB LED**ADRIANA-5****ADRIANA-10****ADRIANA-15**

016-021-0005

016-021-0010

016-021-0015

Power	:	5 W	2x5 W	3x5 W
Luminous Flux	:	368 lm	2x368 lm	3x368 lm
Cutting Size (mm)	:	73x73	90x155	90x240
Sizes (mm)	:	A: 93 B: 44 C: 93	A: 175 B: 44 C: 93	A: 255 B: 44 C: 93

**WHITE**

SABRINA

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2700K / 6400K

COB LED**SABRINA-8****SABRINA-16****SABRINA-24****SABRINA-32**




016-023-0008

016-023-0016

016-023-0024

016-023-0032

Power	:	8 W	2x8 W	3x8 W	4x8 W
Luminous Flux	:	371lm	2x371lm	3x371lm	4x371lm
Cutting Size (mm)	:	90x90	81x170	81x255	170x170
Sizes (mm)	:	A: 100 B: 67 C: 100	A: 185 B: 67 C: 100	A: 270 B: 67 C: 100	A: 185 B: 67 C: 185


**WHITE**



ALEXA


- 200-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3000K/4200K/7000K

WHITE



SMD LED

	ALEXA-8	ALEXA-12	ALEXA-20	ALEXA-24	ALEXA-30
	016-048-0008	016-048-0012	016-048-0020	016-048-0024	016-048-0030
Power :	8 W	12 W	20 W	24 W	30 W
Luminous Flux :	600 lm	900 lm	1500 lm	1800 lm	2250 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø115	Ø145	Ø190
Sizes (mm) :	A: 32 B: 98	A: 32 B: 120	A: 32 B: 145	A: 32 B: 180	A: 32 B: 230






LUCIA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



SMD LED


	LUCIA-10	LUCIA-15	LUCIA-20	LUCIA-25	LUCIA-30	LUCIA-35	LUCIA-40
	016-046-0010	016-046-0015	016-046-0020	016-046-0025	016-046-0030	016-046-0035	016-046-0040
Power :	10 W	15 W	20 W	25 W	30 W	35 W	40 W
Luminous Flux:	650 lm	1125 lm	1500 lm	1875 lm	2250 lm	2625 lm	3000 lm
Cutting Diameter:	Ø75	Ø85	Ø95	Ø120	Ø145	Ø165	Ø200
Sizes (mm) :	A: 37 B: 86	A: 44,5 B: 101	A: 53 B: 116	A: 62,6 B: 140	A: 73 B: 163	A: 84 B: 190	A: 99 B: 217



VANESSA


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



COB LED

	VANESSA-5	VANESSA-10	VANESSA-15	VANESSA-20	VANESSA-30
	016-044-0005	016-044-0010	016-044-0015	016-044-0020	016-044-0030
Power :	5 W	10 W	15 W	20 W	30 W
Luminous Flux :	341lm	824 lm	1079 lm	1470 lm	2205 lm
Cutting Diameter (mm) :	Ø75	Ø95	Ø150	Ø170	Ø205
Sizes (mm) :	A: 43 B: 90	A: 43 B: 120	A: 43 B: 170	A: 45 B: 195	A: 45 B: 225






STELLA


- 165-260V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K

FRAMELESS



SMD LED

	STELLA-8	STELLA-16	STELLA-20	STELLA-30
	016-052-0008	016-052-0016	016-052-0020	016-052-0030
Power	: 8 W	: 16 W	: 20 W	: 30 W
Luminous Flux	: 455 lm	: 950 lm	: 1375 lm	: 2260 lm
Cutting Diameter (mm)	: 75	: 112	: 163	: 215
Sizes (mm)	: A: 91 B: 19	: A: 121 B: 19	: A: 173 B: 19	: A: 223 B: 19







- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6400K


CLARA

MARIA




SMD LED

	CLARA-6	CLARA-12	CLARA-15	MARIA-6	MARIA-12	MARIA-15
	016-016-0006	016-016-0012	016-016-0015	016-015-0006	016-015-0012	016-015-0015
Power :	6 W	12 W	15 W	6 W	12 W	15 W
Luminous Flux :	480 lm	744 lm	1150 lm	480 lm	744 lm	1150 lm
Cutting Diameter (mm) :	Ø73	Ø125	Ø165	73X73	125X125	165X165
Sizes (mm) :	A: 96 B: 40	A: 160 B: 40	A: 200 B: 40	A: 96 B: 35	A: 160 B: 40	A: 198 B: 40



SLIM


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE


SMD LED

	SLIM-3	SLIM-6	SLIM-9	SLIM-12	SLIM-15	SLIM-18	SLIM-24
	056-003-0003	056-003-0006	056-003-0009	056-003-0012	056-003-0015	056-003-0018	056-003-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Diameter :	Ø70	Ø108	Ø132	Ø155	Ø176	Ø215	Ø279
Sizes (mm) :	A:14 B:83	A:14 B:118,5	A:14 B:146	A:14 B:168	A:17 B:190	A:14 B:221	A:14,5 B:297



SLIM/Sq


- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 2700K / 4200K / 6400K



WHITE

SMD LED

	SLIM / Sq-3	SLIM / Sq-6	SLIM / Sq-9	SLIM / Sq-12	SLIM / Sq-15	SLIM / Sq-18	SLIM / Sq-24
	056-005-0003	056-005-0006	056-005-0009	056-005-0012	056-005-0015	056-005-0018	056-005-0024
Power :	3 W	6 W	9 W	12 W	15 W	18 W	24 W
Luminous Flux :	110 lm	270 lm	540 lm	660 lm	900 lm	1170 lm	1632 lm
Cutting Size (mm) :	76x76	105x105	135x135	156x156	178x178	207x207	282x282
Sizes (mm) :	A:16 B:89	A:18 B:113,5	A:16 B:146	A:18 B:163	A:15 B:194,5	A:18 B:219,5	A:17 B:296





HOROZ ELECTRIC



LED Backlight Panel



LED BACKLIGHT PANEL

TAURUS

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




WHITE



SMD LED

	TAURUS-36	TAURUS-48
Code	056-013-0036	056-013-0048

Power	: 36 W	48 W
Luminous Flux	: 3000 lm	4400 lm
Sizes (mm)	: A: 295 B: 595 C: 32	A: 295 B: 1195 C: 32



BACKLIGHT PANEL

Inside of Product



HOROZ ELECTRIC

LED Panel Frame Drywall Kit



PLAZMA-45

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3375 lm
- 4200K / 6400K



056 010 0045

WHITE

BACKLIGHT PANEL



Inside of Product



EUROPA-80

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400 lm
- 4200K / 6400K



056 009 0080

WHITE

BACKLIGHT PANEL



Inside of Product







GALAKSİ-45

056 002 0045

WHITE

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 4200K / 6400K




STAR-50

056 001 0050

SILVER



- 180-265V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200 lm
- 4200K / 6400K



MOON

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



MOON-32	MOON-40
056-007-0032	056-007-0040




Power :	32 W	40 W
Luminous Flux :	2240 lm	2800 lm
Sizes (mm) :	A: 400 B: 400 C: 8	A: 500 B: 500 C: 8



ZODIAC

- 180-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 4200K / 6400K

WHITE



ZODIAC-24	ZODIAC-36
056-006-0024	056-006-0036

Power :	24 W	36 W
Luminous Flux :	1680 lm	2520 lm
Sizes (mm) :	A: 295 B: 595 C: 8	A: 295 B: 1195 C: 8










CAPELLA-48

- 175-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 3125 lm
- 6400K

WHITE

056 012 0048



LED FRAME PANEL / FRAME / DRYWALL KIT

FRAME

WHITE


DRY KIT

111 001 0001

- Drywall Kit Apparatus
- For LED Panels



	FRAME-3060	FRAME-30120	FRAME-4040	FRAME-5050	FRAME-6060
	111-002-0001	111-002-0002	111-002-0003	111-002-0004	111-002-0005
Sizes (mm):	A: 600 B: 300 C: 45	A: 1200 B: 300 C: 45	A: 400 B: 400 C: 45	A: 500 B: 500 C: 45	A: 600 B: 600 C: 45





HOROZ ELECTRIC

LED Surface Backlight



LED SURFACE BACKLIGHT



LED Surface Backlight
LED Surface Light
Surface Light




PROTEUS



- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K

WHITE


BLACK



NEW PRODUCT




BACKLIGHT PANEL



Inside of Product

SMD LED		PROTEUS-36	PROTEUS-48
		056-014-0036	056-014-0048
Power	:	36 W	48 W
Luminous Flux	:	3000 lm	4400 lm
Sizes (mm)	:	A: 300 B: 600 C: 38	A: 300 B: 1200 C: 38






LED SURFACE BACKLIGHT / LED SURFACE LIGHT

PULSAR-48

- 175-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 3800 lm
- 6400K

056 015 0048





WHITE

BLACK

BACKLIGHT PANEL



Inside of Product





- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 3000K/4200K/6400K

CAROLINE

ARINA

WHITE



	CAROLINE-12	CAROLINE-18	CAROLINE-28	ARINA-12	ARINA-18	ARINA-28
	016-025-0012	016-025-0018	016-025-0028	016-026-0012	016-026-0018	016-026-0028
Power :	12 W	18 W	28 W	12 W	18 W	28 W
Luminous Flux :	840 lm	1300 lm	1960 lm	840 lm	1300 lm	1960 lm
Sizes (mm) :	A:160 B:28	A:210 B:28	A:287 B:28	A:159.5 B:28	A:211 B:28	A:283 B:28






CARLA


- 165-260V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



SMD LED

	CARLA-16	CARLA-24	CARLA-32
	016-058-0016	016-058-0024	016-058-0032




Power	: 16 W	24 W	32 W
Luminous Flux	: 1280 lm	1920 lm	2560 lm
Sizes (mm)	: A:120 B:45	A:170 B:45	A:224 B:45

CARLA/SQ


- 165-260V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K

WHITE



SMD LED

	CARLA/SQ-16	CARLA/SQ-24	CARLA/SQ-32
	016-059-0016	016-059-0024	016-059-0032



Power	: 16 W	24 W	32 W
Luminous Flux	: 1280 lm	1920 lm	2560 lm
Sizes (mm)	: A:126 B:45	A:174 B:45	A:227 B:45






SANDRA

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-XL




WHITE

BLACK

SMD LED


	SANDRA-5	SANDRA-5/XL	SANDRA-10	SANDRA-10/XL	SANDRA-15	SANDRA-15/XL
	016-043-0005	016-043-1005	016-043-0010	016-043-1010	016-043-0015	016-043-1015
Power :	5 W	5 W	10 W	10 W	15 W	15 W
Luminous Flux :	350 lm	350 lm	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:105 B:75	A:105 B:162	A:140 B:75	A:140 B:162	A:180 B:75	A:180 B:162



SANDRA-SQ

- 185-264V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

SANDRA-SQ/XL




WHITE

BLACK

SMD LED

	SANDRA-SQ10	SANDRA-SQ10/XL	SANDRA-SQ15	SANDRA-SQ15/XL
	016-045-0010	016-045-1010	016-045-0015	016-045-1015
Power :	10 W	10 W	15 W	15 W
Luminous Flux :	700 lm	700 lm	1050 lm	1050 lm
Sizes (mm) :	A:136 B:120	A:136 B:200	A:182 B:120	A:182 B:200




FREZYA

- 220-240V / 50-60Hz
- Max. 50W


WHITE

BLACK




FREZYA-R

015-026-0050



FREZYA-S

015-027-0050




ARIZONA

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K



WHITE

BLACK



SMD LED

	ARIZONA-5	ARIZONA-10
	018-027-0005	018-027-0010
Power	: 5 W	: 10 W
Luminous Flux	: 380 lm	: 650 lm
Beam Angle	: 52°	: 60°





VARNA

- 175-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°

WHITE

BLACK



COB LED

	VARNA-20	VARNA-30	VARNA-36
	018-026-0020	018-026-0030	018-026-0036
Power	: 20 W	: 30 W	: 36 W
Luminous Flux	: 1600 lm	: 2400 lm	: 2880 lm
Sizes (mm)	: A: 72 B: 125 C: 160	: A: 81 B: 130 C: 170	: A: 91 B: 140 C: 180






Z O O M A B L E

MONACO

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 15°-60°



WHITE


BLACK



COB LED

MONACO-15	MONACO-30
018-019-0015	018-019-0030


Power	:	15 W	30 W
Luminous Flux	:	1125 lm	2250 lm
Sizes (mm)	:	A: 150 B: 130 C: 140 D: 47 E: 59	A: 190 B: 170 C: 165 D: 64 E: 85



LED TRACK LIGHT


LYON

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K
- Beam Angle: 24°



WHITE

BLACK




LYON-10	LYON-18	LYON-24
018-020-0010	018-020-0018	018-020-0024

Power	:	10 W	18 W	24 W
Luminous Flux	:	650 lm	1170 lm	1560 lm
Sizes (mm)	:	A: 81 B: 140 C: 102 D: 37 E: 68	A: 170 B: 162 C: 110 D: 61 E: 84	A: 200 B: 190 C: 140 D: 66 E: 89






MADRID



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4200K
- Beam Angle: 24°



COB LED

MADRID-23	MADRID-40
018-005-0023	018-005-0040
Power : 23 W	40 W
Luminous Flux : 1779 lm	2988 lm



LED TRACK LIGHT


BERN

018 017 0030

WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2000 lm
- 4200K
- Beam Angle: 21°



30W COB LED




DUBLIN

018 018 0035

WHITE

BLACK

- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3400 lm
- 4200K
- Beam Angle: 24°



35W COB LED



BASEL


115 003 0001



WHITE


BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included




DAKAR

115 001 0001



RABAT

115 002 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included





HOROZ ELECTRIC

Spotlight / LED Spotlight

LOZAN


116 001 0001



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 50W
- Bulb not included



GU10




HOROZ ELECTRIC

Spotlight LED Spotlight



BEYRUT


017 001 0005



WHITE


BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 320 lm
- 4200K
- Beam Angle: 60°



TOKYO


017 002 0008



WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 500 lm
- 4200K
- Beam Angle: 53°



5W COB LED



8W COB LED





HOROZ ELECTRIC

Lighting Track / Track Connector Recessed Monopoint

LIGHTING TRACK

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

097 001 0001



1m.

097 001 0002

2m.

097 001 0003

3m.



TRACK CONNECTOR

WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A




STRAIGHT Connector
096-001-0001



L Connector
096-002-0002



T Connector
096-001-0004



X Connector
096-001-0003



HOROZ ELECTRIC

Lighting Track Track Connector Recessed Monopoint



LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT

RECESSED MONOPOINT


WHITE

BLACK

SILVER

- Single Phase
- 220-240V / 50-60Hz
- Max. 16A

098 001 0001





HOROZ ELECTRIC

LED Linear Suspension Light

INNOVA3-40

019 033 0040

30 mm width

INNOVA5-40



019 034 0040

50 mm width

BLACK

WHITE

- 170-265V / 50-60Hz
- Average Life: 70.000 Hrs
- 3200 lm
- 4000K
- Surface mounting also available



LED Linear Suspension Light
 LED Suspension Light
 LED Crystal Suspension Light




LED LINEAR SUSPENSION LIGHT






PRIME-45

019 029 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3500 lm
- 4000K



45W SMD LED



LED SUSPENSION LIGHT

OPTIMA-12

019 030 0012



12W

OPTIMA-24

019 030 0024



24W

OPTIMA-36


019 030 0036



36W

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900/1800/2700 lm
- 4000K



SMD LED






CALIBUR-24

019 031 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K





CAMEL-24

019 032 0024

CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 4000K




COSTA-35

019 015 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




MATRIX-35

019 013 0035

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2000 lm
- 4000K




LED SUSPENSION LIGHT



PHOENIX


019 020 0038



CHROME

RED COPPER


- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2623 lm
- 4000K



LED SUSPENSION LIGHT

ELECTRA


019 021 0038



CHROME

RED COPPER

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2548 lm
- 4000K







AVANGARD

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

WHITE


BLACK



SMD LED

AVANGARD-24	AVANGARD-40
019-005-0024	019-005-0040

Power	: 24 W	40 W
Luminous Flux	: 1680 lm	2800 lm
Sizes (mm)	: A: 82 B: 42 C: 230 D: 515	A: 98 B: 50 C: 280 D: 550





ELEGANCE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

WHITE

BLACK



SMD LED

ELEGANCE-24	ELEGANCE-40
019-006-0024	019-006-0040

Power	: 24 W	40 W
Luminous Flux	: 1680 lm	2800 lm
Sizes (mm)	: A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 515	A: 230 B: 42 C:1319 D: 1200 E: 66,6 F: 550





TREND

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

BLACK

WHITE



SMD LED

	TREND-50	TREND-85
Power	50 W	85 W
Luminous Flux	800 lm	1400 lm
Sizes (mm)	A: 190 B: 95 C:550 D: 550	A: 270 B: 105 C:790 D: 790






LED SUSPENSION LIGHT

ASFOR

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 4000K

BLACK

WHITE



SMD LED

	ASFOR-50	ASFOR-85
Power	50 W	85 W
Luminous Flux	800 lm	1400 lm
Sizes (mm)	A: 160 B: 26 C: 1200 D: 95 E: 550 F: 550	A: 210 B: 26 C: 1200 D: 105 E: 790 F: 790






OLYMPIC

BLACK

019 035 0045



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2025 lm
- 4000K




GENESIS

CHROME

019 036 0100



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4500 lm
- 4000K



LED SUSPENSION LIGHT



CRATER

CHROME

019 037 0020



- 180-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 900 lm
- 4000K






ORIENT

019 016 0016



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 1211 lm
- 4000K





ORION

019 017 0030



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2059 lm
- 4000K



LED SUSPENSION LIGHT


AVALON

019 018 0035



CHROME

- 110-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2100 lm
- 4000K





GLORY

019 019 0045



CHROME

- 110-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3964 lm
- 4000K







AVATAR

019 039 0033

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2310 lm
- 4000K

CHROME




LED CRYSTAL SUSPENSION LIGHT






AVIATOR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME




	AVIATOR-24	AVIATOR-40	AVIATOR-56
	019-038-0024	019-038-0040	019-038-0056
Power	24 W	40 W	56 W
Luminous Flux	1680 lm	2800 lm	3920 lm







VOYAGER

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K




CHROME



SMD LED

	VOYAGER-12	VOYAGER-18	VOYAGER-24
	019-041-0012	019-041-0018	019-041-0024


Power	: 12 W	18 W	24 W
Luminous Flux	: 840 lm	1260 lm	1680 lm
Length (mm)	: L : 410	L : 565	L : 815




LED CRYSTAL SUSPENSION LIGHT

ASTORIA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



SMD LED

	ASTORIA-19	ASTORIA-25	ASTORIA-32	ASTORIA-38
	019-040-0019	019-040-0025	019-040-0032	019-040-0038

Power	: 19 W	25 W	32 W	38 W
Luminous Flux	: 1330 lm	1750 lm	2240 lm	2660 lm
Diameter (mm)	: Ø: 300	Ø: 400	Ø: 500	Ø: 600





LED CRYSTAL SUSPENSION LIGHT

ETERNITY

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME





SMD LED

	ETERNITY-30	ETERNITY-40
Power	: 30 W	40 W
Luminous Flux	: 2100 lm	2800 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600

QUASAR

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	QUASAR-42	QUASAR-90
Power	: 42 W	90 W
Luminous Flux	: 2940 lm	6300 lm






LED CRYSTAL SUSPENSION LIGHT

NIRVANA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



CHROME



PANDORA

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

	NIRVANA-24	NIRVANA-32	NIRVANA-40
	019-027-0024	019-027-0032	019-027-0040
Power :	24 W	32 W	40 W
Luminous Flux :	1680 lm	2240 lm	2800 lm
Sizes (mm) :	A: 800 B: 200 C: 400 D: 200	A: 1000 B: 200 C: 500 D: 300	A: 1000 B: 250 C: 600 D: 400

SMD LED

	PANDORA-72	PANDORA-96
	019-028-0072	019-028-0096
Power :	72 W	96 W
Luminous Flux :	5040 lm	6720 lm




NEBULA

019 026 0040

CHROME

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 2800 lm
- 4000K





POLARIS

019 024 0046

CHROME



- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 3220 lm
- 4000K



TORNADO

- 180-260V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



SMD LED

TORNADO-30	TORNADO-40
019-025-0030	019-025-0040

Power	: 30 W	40 W
Luminous Flux	: 2100 lm	2800 lm
Sizes (mm)	: A: 800 B: 150 C: 400	A: 800 B: 200 C: 600





HOROZ ELECTRIC

String Light / LED Pendant Lamp



HOROZ ELECTRIC

String Light




CARNAVAL

- 220V~
- 10 Lamp Holders (Each Max. 30W)
- Total 10 Meters
- Bulb not included

LINKABLE



	CARNAVAL-1	CARNAVAL-2
	022-001-0001	022-001-0002
Watt (Linked Sets) :	Max. 750W	Max. 1500W
Cable :	2*0,75mm ²	2*1,5mm ²



STRING LIGHT / LED PENDANT LAMP



HOROZ ELECTRIC

LED Pendant Lamp




SEMBOL

020 006 0012



WHITE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 850 lm
- 4000K



12W SMD LED





HOROZ ELECTRIC

Pendant Lamp

EDISON

021 002 0001



TESLA

021 003 0001



WEBER

021 008 0001



GAUSS

021 009 0001



RED COPPER

GOLDEN


PEARL BLACK

OLD BRONZE

CHROME

■ 250V~/4A

■ Max. 60W




HOROZ ELECTRIC

Pendant Lamp
Glass Pendant Lamp



VOLTA

021 001 0001



BLACK

WHITE

BROWN

BLUE

RED

GREY

■ 250V~/4A

■ Max. 60W




NEWTON

021 010 0001




KEPLER

021 011 0001




MAXWELL

021 012 0001



NOBEL

021 013 0001



BLACK

■ 250V~/4A

■ Max. 60W

FOLDABLE CASE



PENDANT LAMP




LASER

SPECTRUM

RADIAN

CHROME

- 250V~/4A
- Max. 60W
- Glass




021 004 0001 021 004 0002 021 005 0001 021 005 0002 021 007 0001 021 007 0002

QUANTUM

COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 006 0001 021 006 0002

METEOR


COPPER

CHROME

- 250V~/4A
- Max. 60W
- Glass



021 014 0001 021 014 0002





GLASS PENDANT LAMP / PENDANT LAMP

DREAM

021 020 0001



SHARP

021 019 0001



RONDO


021 018 0001



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass



GLOBAL

021 021 0001



GLOBAL-X


021 021 0002



AMBER

TITANIUM

- 250V~/4A
- Max. 60W
- Glass





AMPER

021 022 0001

COPPER

- 250V~/4A
- Max. 60W
- For Glass Pendant





ELEMENT-1

021 015 0001



AMBER



TITANIUM

ELEMENT-2

021 015 0002




CLEAR COPPER



CLEAR CHROME

- 250V~/4A
- Max. 60W
- Glass



SPARK-1

021 016 0001



AMBER



TITANIUM

SPARK-2

021 016 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass



HARMONY-1

021 017 0001



AMBER



TITANIUM

HARMONY-2

021 017 0002




AMBER COPPER



TITANIUM COPPER

- 250V~/4A
- Max. 60W
- Glass





HOROZ ELECTRIC

LED Wall Light



HOROZ ELECTRIC

LED Wall Light



ERDEK

029 001 0005





5W SMD LED



WHITE


RED

- 220-240V / 50-60Hz
- 325 lm
- 4000K
- Average Life: 30.000 Hrs



BELEN

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K



WHITE



SMD LED

BELEN-6

BELEN-12


BELEN-18

029-003-0006

029-003-0012

029-003-0018


Power	: 6 W	12 W	18 W
Luminous Flux	: 340 lm	950 lm	1400 lm
Sizes (mm)	: A: 250 B: 105 C: 95	A: 420 B: 105 C: 95	A: 580 B: 105 C: 95






SİSAM

029 006 0008



TRUVA


029 007 0008



WHITE

BLACK



- 100-240V / 50-60Hz
- 4200K
- 320 lm (SİSAM) / 520 lm (TRUVA)
- Average Life: 30.000 Hrs



RODOS


- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

WHITE



RODOS-3	RODOS-6	RODOS-12
029-004-0003	029-004-0006	029-004-0012


Power	: 3 W	6 W	12 W
Luminous Flux	: 170 lm	340 lm	950 lm
Sizes (mm)	: A: 200 B: 55 C: 100 D: 80	A: 300 B: 59 C: 179 D: 80	A: 480 B: 58 C: 345 D: 80





HOROZ ELECTRIC

LED Decorative Ceiling Lamp



HOROZ ELECTRIC

LED Decorative Ceiling Lamp



LED DECORATIVE CEILING LAMP

PIXEL




RADIUS



WHITE

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED

PIXEL-36

PIXEL-48

027-011-0036

027-011-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 65	A: 480 B: 70

SMD LED

RADIUS-36

RADIUS-48

027-012-0036

027-012-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 75	A: 490 B: 80

ETERNAL



DISCOVERY



SMD LED

ETERNAL-36

ETERNAL-48

027-013-0036

027-013-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 380 B: 78	A: 490 B: 90

SMD LED


DISCOVERY-36

DISCOVERY-48

027-014-0036

027-014-0048

Power	:	36 W	48 W
Luminous Flux	:	2700 lm	3600 lm
Sizes (mm)	:	A: 385 B: 82	A: 490 B: 85






ELECTRON

- 180-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE



SMD LED

ELECTRON-15	ELECTRON-24	ELECTRON-36
027-010-0015	027-010-0024	027-010-0036


Power	: 15 W	24 W	36 W
Luminous Flux	: 911 lm	1485 lm	2228 lm
Sizes (mm)	: A: 230 B: 260 C:50	A: 300 B: 330 C:52	A: 350 B: 385 C: 55



EPSILON

- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K


WHITE



SMD LED

EPSILON-15	EPSILON-24	EPSILON-36
027-004-0015	027-004-0024	027-004-0036

Power	: 15 W	24 W	36 W
Luminous Flux	: 1125 lm	1800 lm	2700 lm
Sizes (mm)	: A: 260 B: 55	A: 330 B: 60	A: 410 B: 60




SHARK-24

WHITE

027 001 0024

- 160-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1800 lm
- 6400K




24W SMD LED





PHANTOM


- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

BLUE

PINK



SMD LED

PHANTOM-36

PHANTOM-48

027-002-0036

027-002-0048


Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 410 B: 65	A: 510 B: 65

LED DECORATIVE CEILING LAMP



GHOST


- 185-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



WHITE

BLUE

PINK



SMD LED

GHOST-36

GHOST-48


027-003-0036

027-003-0048

Power	: 36 W	48 W
Luminous Flux	: 2500 lm	3330 lm
Sizes (mm)	: A: 400 B: 60	A: 490 B: 60

**SARAY**

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME

SARAY-1

SARAY-2

SARAY-3

026-005-0001


026-005-0002

026-005-0003

Power	:	Max. 40 W	Max. 60 W	Max. 2X60 W
Sizes (mm)	:	A: 70 B: 180	A: 73 B: 235	A: 75 B: 285

**Decorative Ceiling Lamp****LICE**

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME

LICE-1

LICE-2


026-004-0001

026-004-0002

Power	:	Max. 60 W	Max. 2X60 W
Sizes (mm)	:	A: 35 B: 330	A: 35 B: 420

ZARA

- 220-240V / 50-60Hz
- Diffuser: Glass

MAT CHROME

ZARA-1

ZARA-2

ZARA-3

ZARA-4

026-003-0001

026-003-0002


026-003-0003

026-003-0004

Power	:	Max. 60 W	Max. 2X60 W	Max. 3X60 W	Max. 60 W
Sizes (mm)	:	A: 90 B: 230	A: 100 B: 285	A: 130 B: 370	A: 265 B: 110 C: 150

ILGAZ

- 220-240V / 50-60Hz
- Diffuser: Glass

CHROME + MAT CHROME

ILGAZ-1

ILGAZ-2

ILGAZ-3

ILGAZ-4

026-001-0001

026-001-0002


026-001-0003

026-001-0004

Power	:	Max. 60 W	Max. 60 W	Max. 2x60W	Max. 60 W
Sizes (mm)	:	A: 90 B: 245	A: 90 B: 290	A: 105 B: 350	A: 310 B: 110 C: 160

KONAK

- 220-240V / 50-60Hz
- Diffuser: Glass

CHROME + MAT CHROME

KONAK-1

KONAK-2

KONAK-3

KONAK-4

026-002-0001

026-002-0002

026-002-0003

026-002-0004

Power	:	Max. 60 W	Max. 60 W	Max. 2X60W	Max. 60 W
Sizes (mm)	:	A: 90 B: 220	A: 95 B: 260	A: 120 B: 330	A: 300 B: 110 C: 140



**LED Ceiling Lamp
Ceiling Lamp**



LIKYA

- 220-240V / 50-60Hz
- 4000K
- Average Life: 30.000 Hrs

CHROME



■ LIKYA-1



■ LIKYA-2



■ LIKYA-3



■ LIKYA-4




■ LIKYA-5



■ LIKYA-6

SMD LED

	LIKYA-1	LIKYA-2	LIKYA-3	LIKYA-4	LIKYA-5	LIKYA-6
	036-007-0001	036-007-0002	036-007-0003	036-007-0004	036-007-0005	036-007-0006
Power	: 5W	: 2x5W	: 3x5W	: 4x5W	: 4x5W	: 6x5W
Luminous Flux	: 300 lm	: 2x300 lm	: 3x300 lm	: 4x300 lm	: 4x300 lm	: 6x300 lm





EFES

■ 220-240V / 50-60Hz

CHROME



■ EFES-1



■ EFES-2




■ EFES-3



■ EFES-4

EFES-1	EFES-2	EFES-3	EFES-4
035-006-0001	035-006-0002	035-006-0003	035-006-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
--------------	---	---------	-----------	-----------	-----------





CEILING LAMP

KEMER

■ 220-240V / 50-60Hz

CHROME



■ KEMER-1



■ KEMER-2



■ KEMER-3




■ KEMER-4



■ KEMER-5

	KEMER-1	KEMER-2	KEMER-3	KEMER-4	KEMER-5
	035-005-0001	035-005-0002	035-005-0003	035-005-0004	035-005-0005
Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W





MANAVGAT

■ 220-240V / 50-60Hz

CHROME



■ MANAVGAT-1



■ MANAVGAT-2



■ MANAVGAT-3



■ MANAVGAT-4




■ MANAVGAT-5

MANAVGAT-1	MANAVGAT-2	MANAVGAT-3	MANAVGAT-4	MANAVGAT-5
035-003-0001	035-003-0002	035-003-0003	035-003-0004	035-003-0005

Power	: Max.40W	Max.2x40W	Max.3x40W	Max.4x40W	Max.3x40W
--------------	-----------	-----------	-----------	-----------	-----------



E14





CEILING LAMP

BODRUM

■ 220-240V / 50-60Hz

MAT CHROME



■ BODRUM-1



■ BODRUM-2




■ BODRUM-3



■ BODRUM-4

	BODRUM-1	BODRUM-2	BODRUM-3	BODRUM-4
	035-004-0001	035-004-0002	035-004-0003	035-004-0004

Power	:	Max.40W	Max.2x40W	Max.3x40W	Max.4x40W
-------	---	---------	-----------	-----------	-----------





HOROZ ELECTRIC

Bathroom Lamp

AQUA



CHROME



■ 220-240V / 50-60Hz



E14

AQUA-1	AQUA-3
037-001-0001	037-001-0003

Power : Max.40W Max.3x40W



VODA



CHROME



■ 220-240V / 50-60Hz



E14

VODA-1	VODA-3
037-002-0001	037-002-0003

Power : Max.40W Max.3x40W



HOROZ ELECTRIC

Bathroom Lamp
LED Picture & Mirror Lamp
LED Reading Lamp




BATHROOM LAMP



SUNA


- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



SMD LED

	SUNA-10	SUNA-15	SUNA-20
	040-015-0010	040-015-0015	040-015-0020
Power	10 W	15 W	20W
Luminous Flux	800 lm	1200 lm	1600 lm
Length (mm)	L: 457	L: 590	L: 793



LED PICTURE & MIRROR LAMP






TOYGAR-12

040 013 0012

CHROME

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 1100 lm
- 4200K




SUMRU-12

040 011 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K




EBABI-12

040 010 0012

CHROME

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 1135 lm
- 4200K






ANKA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME



SMD LED

ANKA-8	ANKA-12
040-014-0008	040-014-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 400 B: 52 C: 185	A: 550 B: 52 C: 185




LED PICTURE & MIRROR LAMP



KANARYA

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K


CHROME



SMD LED

KANARYA-8	KANARYA-12
040-012-0008	040-012-0012

Power	: 8 W	12 W
Luminous Flux	: 570 lm	850 lm
Sizes (mm)	: A: 405 B: 120 C: 120	A: 555 B: 120 C: 120






FLAMINGO

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



SMD LED


FLAMINGO-4

FLAMINGO-6

040-001-0004

040-001-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 405 B: 52 C: 175	A: 505 B: 52 C: 185




LED PICTURE & MIRROR LAMP

ALBATROS

- 100-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



SMD LED


ALBATROS-4

ALBATROS-6

040-002-0004

040-002-0006

Power	: 4 W / 21 LED	6 W / 30 LED
Luminous Flux	: 360 lm	500 lm
Sizes (mm)	: A: 407 B: 55 C: 100	A: 555 B: 55 C: 108







LORI

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4200K

CHROME



SMD LED

	LORI-6	LORI-9
Code	040-008-0006	040-008-0009
Power	: 6 W / 12 LED	: 9 W / 18 LED
Luminous Flux	: 360 lm	: 540 lm
Sizes (mm)	: A: 300 B: 180 C: 210	: A: 380 B: 180 C: 210




KUĞU

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

SILVER

040 006 0003




TURNA

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 200 lm
- 4200K

SILVER



040 007 0003



FLORYA


- 100-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 4000K

CHROME



COB LED

	FLORYA-3	FLORYA-6	FLORYA-9
Code	040-009-0003	040-009-0006	040-009-0009
Power	: 3 W	: 6 W	: 9 W
Luminous Flux	: 214 lm	: 428 lm	: 640 lm





HOROZ ELECTRIC

LED Desk Lamp



EBRU

049 010 0010

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 600 lm
- 3000K - 4500K - 6000K
- Average Life: 30.000 Hrs




TOUCH



10W SMD LED



With Clips



HOROZ ELECTRIC

LED Desk Lamp Desk Lamp



İREM

049 011 0005

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 300 lm
- 4600K
- Average Life: 30.000 Hrs



TOUCH



5W SMD LED



BUKET

049 005 0003

BLACK

WHITE


- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



3W POWER LED



ECE

049 001 0003

ALEYNA

049 003 0003

BEYZA

049 002 0003

DİLARA

049 004 0003

RED

WHITE


BLACK

- 220-240V 50-60Hz
- 3W
- 130 lm
- 3000K
- Average Life: 30.000 Hrs

POWER LED



ON-OFF



BERNA

049 006 0003


BLACK

WHITE

BLUE

RED

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BİLGE

049 008 0003

BLACK


WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs



BUDDY

048 001 0015

PINK

BLUE

YELLOW



OSCAR

048 002 0015

PINK



TOBY

048 003 0015

ORANGE

YELLOW



- 220-240V
- 50-60Hz
- Max. 15W
- 500 lm
- 4500K

Bulb included



KITTY

048 004 0011

BLUE



GREEN



APPLE

048 006 0011


PINK



DONALD

048 007 0011

BLUE





FLYER

048 008 0011

PINK


BLUE

YELLOW



- 220-240V
- 50-60Hz
- Max. 11W
- 350 lm
- 4500K

Bulb included





HOROZ ELECTRIC

Desk Lamp


SİMGE

048 014 0060

GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W



RANA


048 013 0060

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



DESK LAMP

BİHTER

048 009 0060


BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W




DENİZ

048 011 0040

WHITE

RED

- 220-240V / 50-60Hz
- Max. 40W





HOROZ ELECTRIC

LED Floor Lamp / Floor Lamp

TUNA

046 001 0003



ARAS

046 002 0003



DİCLE

046 003 0003



- RED
- WHITE
- BLACK

- 220-240V / 50-60Hz
- 130 lm
- 3000K
- Average Life: 30.000 Hrs




HOROZ ELECTRIC

LED Floor Lamp Floor Lamp



MERİÇ

■ 220-240V / 50-60Hz



	MERİÇ-1	MERİÇ-2	MERİÇ-3
	045-001-0001	045-001-0002	045-001-0003
Power	: Max. 100 W	Max. 100 W (Mother) Max. 40 W (Baby)	Max. 100 W (Mother) Max. 40 W (Baby)
Lamp Holder	: E27	E27 (Mother) & E14 (Baby)	E27 (Mother) & E14 (Baby)
Color	: Blue / White / Green Orange	White	White
Sizes (mm)	: A: 250 B: 1800	A: 250 B: 1800 C: 500	A: 285 B: 1800 C: 500





LED Night Lamp




SIMPSON

085 001 0006



WHITE

- 220-240V / 50-60Hz
- 25 lm
- Average Life: 20.000 Hrs



- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs

MIX (WHITE/BLUE/GREEN/RED)

DORA

REX


BUGS

MAX

DUFFY





	DORA	REX	BUGS	MAX	DUFFY
	085-001-0001	085-001-0002	085-001-0003	085-001-0004	085-001-0005
Power	0.4 W	0.4 W	0.3 W	0.4 W	0.3 W
Luminous Flux	25 lm	25 lm	20 lm	25 lm	20 lm





TETRA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K



TETRA-18	TETRA-36
052-003-0060	052-003-0120

Power	:	18 W	36 W
Luminous Flux	:	1135 lm	2269 lm
Length (mm)	:	L: 600	L: 1200






LED Batten Light LED Waterproof Lamp Electronic Wall Lamp LED Tube Fixture



LED BATTEN LIGHT

TETRA/SQ

- 165-265V / 50-60Hz
- Average Life: 25.000 Hrs
- 6400K



/SQ-27TETRA/SQ-54	TETRA/SQ-72	
052-005-0060	052-005-0120	052-005-0150


Power	:	27 W	54 W	72 W
Luminous Flux	:	1890 lm	3780 lm	5670 lm
Length (mm)	:	L: 600	L: 1200	L: 1500





IRMAK

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED


IRMAK-18	IRMAK-36	IRMAK-45
059-004-0018	059-004-0036	059-004-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 650	L: 1260	L: 1560



NEHIR


- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED


NEHIR-18	NEHIR-36	NEHIR-45
059-003-0018	059-003-0036	059-003-0045

Power	: 18 W	36 W	45 W
Luminous Flux	: 1440 lm	2880 lm	3600 lm
Length (mm)	: L: 652	L: 1262	L: 1562



OKYANUS

- 170-265V/50-60Hz
- Average Life: 30.000 Hrs
- 6400K



SMD LED


OKYANUS-36	OKYANUS-72	OKYANUS-90
059-005-0036	059-005-0072	059-005-0090

Power	: 36 W	72 W	90 W
Luminous Flux	: 2880 lm	5760 lm	7200 lm
Length (mm)	: L: 632	L: 1242	L: 1542



MEDUSA

- 180-260V / 50-60Hz
- Average Life: 40.000 Hrs
- 6400K




SMD LED

	MEDUSA-18	MEDUSA-36	MEDUSA-58
	059-006-0018	059-006-0036	059-006-0058
Power :	18 W	36 W	58 W
Luminous Flux :	1800 lm	3600 lm	5800 lm
Length (mm) :	L: 600	L: 1200	L: 1500



SIGMA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




LINKABLE




SMD LED

	SIGMA-4	SIGMA-7	SIGMA-10	SIGMA-14
	052-001-0030	052-001-0060	052-001-0090	052-001-0120
Power :	4 W	7 W	10 W	14 W
Luminous Flux :	254 lm	552 lm	846 lm	1100 lm
Length (mm) :	L: 282	L: 546	L: 856	L: 1156



OMEGA

- 176-265V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




LINKABLE



SMD LED

	OMEGA-6	OMEGA-9	OMEGA-12	OMEGA-16
	052-002-0030	052-002-0060	052-002-0090	052-002-0120
Power :	6 W	9 W	12 W	16 W
Luminous Flux :	273 lm	538 lm	898 lm	1136 lm
Length (mm) :	L: 285	L: 535	L: 855	L: 1155



ALFA

- 220-240V / 50-60Hz



ALFA-6	ALFA-8	ALFA-13	ALFA-28
053-001-0006	053-001-0008	053-001-0013	053-001-0028

Power :	6 W	8 W	13 W	28 W
Length (mm) :	L: 267	L: 343	L: 573	L: 1200



BETA

- 220-240V / 50-60Hz



BETA-18	BETA-36
053-002-0018	053-002-0036

Power :	18 W	36 W
Length (mm) :	L: 668	L: 1280




LED WATERPROOF LAMP / LED BATTEN LIGHT / ELECTRONIC WALL LAMP



PROMASTER

- 175-250V / 50-60Hz
- Max. 2x40W
- For 120 cm double side energized LED Tubes
- LED Tube not included



LED TUBE FIXTURE

PROFIX


- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



PROFIX-60S	PROFIX-60D	PROFIX-120S	PROFIX-120D
------------	------------	-------------	-------------

057-001-1060	057-001-2060	057-001-1120	057-001-2120
--------------	--------------	--------------	--------------

Power	: Max. 2x18W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Sizes (mm)	: A: 670 B: 65 C: 65	A: 670 B: 95 C: 65	A: 1280 B: 65 C: 65	A: 1280 B: 95 C: 65



TUBOFIX


- 175-250V / 50-60Hz
- For 60/120 cm double side energized LED Tubes
- LED Tube not included



TUBOFIX-60	TUBOFIX-60D	TUBOFIX-120	TUBOFIX-120D
------------	-------------	-------------	--------------

061-001-0060	061-001-2060	061-001-0120	061-001-2120
--------------	--------------	--------------	--------------

Power	: Max. 20W	Max. 2x20W	Max. 40W	Max. 2x40W
Lamp Holder	: T8	2xT8	T8	2xT8
Length (mm)	: L: 616	L: 616	L: 1226	L: 1226






HOROZ ELECTRIC

LED Linear High Bay Lamp

ZEUGMA

- 100-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K
- Aluminium Die Casting Body



Mountable




Hangable



SMD LED

	ZEUGMA-50	ZEUGMA-100	ZEUGMA-150	ZEUGMA-200
	063-005-0050	063-005-0100	063-005-0150	063-005-0200
Power	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 4650 lm	: 9300 lm	: 13950 lm	: 18600 lm
Length (mm)	: 290	: 520	: 758	: 1000



HOROZ ELECTRIC

LED Linear High Bay Lamp LED High Bay Lamp




LED LINEAR HIGH BAY LAMP






GORDION

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K
- Aluminium Die Casting Body



SMD LED



	GORDION-50	GORDION-100	GORDION-150	GORDION-200
	063-006-0050	063-006-0100	063-006-0150	063-006-0200
Power	50 W	100 W	150 W	200 W
Luminous Flux	5000 lm	10000 lm	15000 lm	20000 lm
Sizes (mm)	A:171.9 B: 79.9	A:239.9 B: 88	A:304.9 B: 88	A:357.9 B: 88



LED HIGH BAY LAMP


ARTEMIS

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- Aluminium Die Casting Body



SMD LED

	ARTEMIS-100	ARTEMIS-150	ARTEMIS-200
	063-003-0100	063-003-0150	063-003-0200
Power	100 W	150 W	200 W
Luminous Flux	10000 lm	15000 lm	20000 lm
Sizes (mm)	A: 270 B:110	A: 320 B: 125	A: 370 B: 145





HOROZ ELECTRIC

LED Solar Projector




LED SOLAR PROJECTOR



**LED Solar Projector
LED Projector
Module LED & Apparatus
Portable LED Projector
Projector Stand**



TIGER



- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 5m Cable & U Bracket


BLACK



SMD LED

	TIGER-25	TIGER-40	TIGER-60	TIGER-100
	068-012-0025	068-012-0040	068-012-0060	068-012-0100


Power	: 25 W	40 W	60 W	100 W
Luminous Flux	: 465 lm	840 lm	1040 lm	1500 lm
Battery	: 1 x 3.2V 5Ah Lithium Iron Phosphate	2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	4 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/20W	Polysilicon, 6V/35W
Projector Sizes (mm)	: A: 170 B: 205 C: 50	A: 210 B: 247 C: 65	A: 223 B: 264 C: 67	A: 265 B: 315 C: 70
Solar Panel Sizes (mm)	: D: 340 E: 175 F: 17	D: 290 E: 340 F: 17	D: 350 E: 350 F: 17	D: 580 E: 360 F: 17






LEOPAR

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs



BLACK




	LEOPAR-20	LEOPAR-30	LEOPAR-50	LEOPAR-100	LEOPAR-150	LEOPAR-200	LEOPAR-300	LEOPAR-400
	068-006-0020	068-006-0030	068-006-0050	068-006-0100	068-006-0150	068-006-0200	068-006-0300	068-006-0400
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W
Luminous Flux	: 1785 lm	: 2685 lm	: 4500 lm	: 8500 lm	: 13200 lm	: 19000 lm	: 25500 lm	: 34000 lm
Color Temperature	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 2700K/4200K 6400K	: 6400K	: 6400K
Sizes (mm)	: A:200 B:157 C:50	: A:215 B:171 C:45	: A:270 B:210 C:55	: A:305 B:253 C:75	: A:380 B:310 C:75	: A:400 B:350 C:90	: A:420 B:380 C:90	: A:480 B:430 C:105



PUMA

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs



BLACK




SMD LED

	PUMA-10	PUMA-20	PUMA-30	PUMA-50	PUMA-100	PUMA-200	PUMA-300
	068-003-0010	068-003-0020	068-003-0030	068-003-0050	068-003-0100	068-003-0200	068-003-0300
Power	10 W	20 W	30 W	50 W	100 W	200 W	300 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm	21000 lm	34500 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K	2700K/6400K
Sizes (mm)	A: 94 B: 110 C: 33	A: 109 B: 129 C: 37.5	A: 128 B: 150 C: 38	A: 153 B: 182 C: 38.5	A: 215 B: 268 C: 41	A: 312 B: 395 C: 95	A: 350 B: 442 C: 132

PUMA/S

- 175-250V / 50-60Hz
- Average Life: 20.000 Hrs
- 6400K




BLACK



WITH PIR SENSOR

SMD LED


	PUMA/S-10	PUMA/S-20	PUMA/S-30	PUMA/S-50	PUMA/S-100
	068-004-0010	068-004-0020	068-004-0030	068-004-0050	068-004-0100
Power	10 W	20 W	30 W	50 W	100 W
Luminous Flux	800 lm	1600 lm	2700 lm	5000 lm	10000 lm
Sizes (mm)	A: 134 B: 110 C: 33	A: 149 B: 129 mm C: 37.5	A: 168 B: 150 C: 38.5	A: 193 B: 182 C: 38.5	A: 260 B: 274 C: 41







ASLAN

- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs



BLACK




SMD LED

	ASLAN-10	ASLAN-20	ASLAN-30	ASLAN-50	ASLAN-100	ASLAN-200
	068-010-0010	068-010-0020	068-010-0030	068-010-0050	068-010-0100	068-010-0200
Power	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	800 lm	1600 lm	2400 lm	4000 lm	8000 lm	16000 lm
Color Temperature	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K/GREEN	2700K/6400K	2700K/6400K
Sizes (mm)	A: 91,3 B: 97 C: 30,5	A: 104,5 B: 128,4 C: 30,5	A: 114,4 B: 154,3 C: 30,5	A: 163,7 B: 224,3 C: 30,5	A: 232,3 B: 294,5 C: 31	A: 332,9 B: 420,8 C: 37

LED PROJECTOR

ASLAN/S


- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



BLACK



WITH PIR SENSOR



SMD LED

	ASLAN/S-20	ASLAN/S-30	ASLAN/S-50
	068-011-0020	068-011-0030	068-011-0050
Power	20 W	30 W	50 W
Luminous Flux	1600 lm	2400 lm	4000 lm
Sizes (mm)	A: 171,6 B: 128,5 C: 50	A: 180,1 B: 154,3 C: 52	A: 226,5 B: 224,3 C: 52





LED PROJECTOR

JAGUAR


- 175-250V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K

BLACK



SMD LED

	JAGUAR-10	JAGUAR-20	JAGUAR-30	JAGUAR-50	JAGUAR-100	JAGUAR-200
	068-014-0010	068-014-0020	068-014-0030	068-014-0050	068-014-0100	068-014-0200




Power	:	10 W	20 W	30 W	50 W	100 W	200 W
Luminous Flux	:	800 lm	1940 lm	2550 lm	5300 lm	10200 lm	22200 lm
Sizes (mm)	:	A: 92 B: 79 C: 32	A: 120 B: 99 C: 30	A: 120 B: 110 C: 30	A: 160 B: 142 C: 30	A: 215 B: 191 C: 34	A: 330 B: 310 C: 40



LION

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400K




BLACK



SMD LED


	LION-50	LION-100	LION-150	LION-200	LION-300	LION-400	LION-500
	068-013-0050	068-013-0100	068-013-0150	068-013-0200	068-013-0300	068-013-0400	068-013-0500
Power	: 50 W	: 100 W	: 150 W	: 200 W	: 300 W	: 400 W	: 500 W
Luminous Flux	: 4250 lm	: 8500 lm	: 12750 lm	: 17000 lm	: 25500 lm	: 34000 lm	: 42500 lm
Sizes (mm)	: A:201 B:240 C:70	: A:223 B:272 C:78	: A:450 B:272 C:78	: A:450 B:400 C:78	: A:450 B:500 C:90	: A:560 B:610 C:94	: A:560 B:720 C:98



KAPLAN-45

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 3600 lm
- 4200K


068 007 0045



BLACK




45W SMD LED



KAPLAN-45W


068 007 0001



Apparatus for Wall Lamp

KAPLAN-45S


068 007 0002



Apparatus for Street Lamp

KAPLAN-45C

068 007 0003





Apparatus for Connection

Projector Not Included




PROPORT

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K
- With 1.8 meter cable



	PROPORT-20	PROPORT-45
Power	20 W	45 W
Luminous Flux	1450 lm	3500 lm
Sizes (mm)	A: 232.3 B: 146.4 C: 54	A: 298.6 B: 187 C: 52.5



PORTABLE LED PROJECTOR / PROJECTOR STAND




Projector Stand



PORTABLE


- 107 001 0003
- PORTABLE STAND
- 1.5 meter H05VV-F cable



TRIPOD SINGLE

107 001 0001



- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable





HOROZ ELECTRIC

LED Canopy Light / LED Wallwasher

FALCON

RECESSED

069 001 0110






EAGLE

SURFACE

069 002 0110



- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



HOROZ ELECTRIC

LED Canopy Light



LED WALLWASHER



LED CANOPY LIGHT



HOROZ ELECTRIC

LED Wallwasher



REGAL

AMBER 3000K RED GREEN BLUE




- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- Aluminium Body



POWER LED

	REGAL-9	REGAL-12	REGAL-18	REGAL-24	REGAL-36
	109-001-0009	109-001-0012	109-001-0018	109-001-0024	109-001-0036

Power	:	9 W	12 W	18 W	24 W	36 W
Luminous Flux	:	540 lm	720 lm	1080 lm	1440 lm	2160 lm
Length (mm)	:	255	330	480	630	930






HOROZ ELECTRIC

LED Solar Street Light

LAGUNA

- 3.2V DC
- Average Life: 50.000 Hrs
- 6400K
- Duration Time 12-15 Hours
- Charge&Discharge: >1500 times
- Charging Time: 4-6 Hours (Cloudy 1 day, Rainy 2 days)
- Remote Control: 12m
- With 1.2m Cable, Lamp Arm & U Bracket


BLACK



SMD LED

	LAGUNA-50	LAGUNA-100	LAGUNA-200
	074-006-0050	074-006-0100	074-006-0200

Power	: 50 W	100 W	200 W
Luminous Flux	: 950 lm	1300 lm	2050 lm
Battery	: 2 x 3.2V 5Ah Lithium Iron Phosphate	3 x 3.2V 5Ah Lithium Iron Phosphate	5 x 3.2V 5Ah Lithium Iron Phosphate
Solar Panel	: Polysilicon, 6V/12W	Polysilicon, 6V/16W	Polysilicon, 6V/33W
Installation Height	: 3 Meters	3-4 Meters	4-5 Meters
Street Lamp Sizes (mm)	: A: 160 B: 378 C: 63	A: 185 B: 444 C: 63	A: 230 B: 575 C: 75
Solar Panel Sizes (mm)	: D: 340 E: 290 F: 17	D: 350 E: 350 F: 17	D: 645 E: 360 F: 17



LED SOLAR STREET LIGHT



HOROZ ELECTRIC


LED Solar Street Lamp / LED Street Lamp






ORLANDO

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 6400K



BLACK



SMD LED

	ORLANDO-20	ORLANDO-30	ORLANDO-50	ORLANDO-100	ORLANDO-150	ORLANDO-200
	074-005-0020	074-005-0030	074-005-0050	074-005-0100	074-005-0150	074-005-0200
Power	: 20 W	: 30 W	: 50 W	: 100 W	: 150 W	: 200 W
Luminous Flux	: 1726 lm	: 2829 lm	: 4953 lm	: 8923 lm	: 15061 lm	: 17594 lm
Sizes (mm)	: A:40 B:55 C:315 D:105	: A:40 B:55 C:355 D:125	: A:40 B:55 C:405 D:165	: A:60 B:75 C:620 D:220	: A:60 B:75 C:690 D:250	: A:60 B:85 C:740 D:275



LED STREET LIGHT





HOROZ ELECTRIC

Aluminium Bulkhead Lamp



HOROZ ELECTRIC

Aluminium Bulkhead Lamp



WHITE

BLACK

■ 220-240V / 50-60Hz

NEMRUT

AYDER

TOROS

KAÇKAR



NEMRUT

AYDER

TOROS

KAÇKAR


070-001-0060

070-012-0100

070-002-0060

070-013-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A:210 B:80 C:105	A:275 B:115 C:155	A:210 B:85 C:105	A:275 B:120 C:155



WHITE

BLACK

■ 220-240V / 50-60Hz

ZİGANA

MUNZUR

ARARAT

ERCİYES



ZİGANA

MUNZUR

ARARAT

ERCİYES


070-005-0060

070-014-0100

070-006-0060

070-015-0100

Power	:	Max.60 W	Max.100 W	Max.60 W	Max.100 W
Sizes (mm)	:	A:180 B:85 C:180	A:240 B:110 C:140	A:170 B:80 C:170	A:240 B:115 C:240






Garden Lamp LED Garden Lamp LED House Number Light



NAR

- 220-240V / 50-60Hz
- Aluminium Body
- Plastic Diffuser



NAR-1
075-016-0001

NAR-2
075-016-0002

NAR-3
075-016-0003

NAR-4
075-016-0004

NAR-5
075-016-0005

Power :	Max.60 W
Color :	Black/White
Sizes :	A: 170 B: 240 C: 210

Power :	Max.60 W
Color :	Black/White
Sizes :	A: 170 B: 800 C: 260

Power :	Max.60 W
Color :	Black/White
Sizes :	A: 170 B: 170 C: 300

Power :	Max.60 W
Color :	Black
Sizes :	A: 170 B: 170 C: 580

Power :	Max.60 W
Color :	Black
Sizes :	A: 170 B: 170 C: 840



GARDEN LAMP



NAR-6
075-016-0006

NAR-7
075-016-0007

Power :	Max. 2x60 W
Color :	Black

Power :	Max. 3x60 W
Color :	Black




GARDEN LAMP

KAVAK/SQ

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W



KAVAK/SQ-1

075-015-0001

KAVAK/SQ-2

075-015-0002

KAVAK/SQ-3

075-015-0003

KAVAK/SQ-4

075-015-0004

KAVAK/SQ-5

075-015-0005

Sizes (mm)

: A: 90 B: 300

A: 90 B: 200 C: 150

A: 90 B: 300

A: 90 B: 500

A: 90 B: 800






KAVAK

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max. 60W




	KAVAK-1	KAVAK-2	KAVAK-3	KAVAK-4	KAVAK-5
	075-014-0001	075-014-0002	075-014-0003	075-014-0004	075-014-0005
Sizes (mm)	: A: 305 B: 89	A: 208 B: 89 C: 148	A: 300 B: 89 C: 130	A: 500 B: 89 C: 110	A: 800 B: 89 C: 110





LADİN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



LADİN-1

075-002-0001

LADİN-2

075-002-0002

LADİN-3

075-002-0003

LADİN-4

075-002-0004

Sizes (mm)

: A: 335 B: 120

A: 350 B: 120 C: 165


A: 500 B: 120

A: 800 B: 120



KAYIN

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 60W



KAYIN-1

075-003-0001

KAYIN-2

075-003-0002

KAYIN-3

075-003-0003

KAYIN-4

075-003-0004

Sizes (mm)

: A: 390 B: 150

A: 275 B: 150 C: 210

A: 450 B: 150

A: 800 B: 150





PALMIYE

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max. 100W



PALMIYE-1

075-001-0001

PALMIYE-2

075-001-0002

PALMIYE-3

075-001-0003

PALMIYE-4

075-001-0004


Sizes (mm)

: A: 350 B: 150

A: 320 B: 150 B: 230

A: 500 B: 150

A: 800 B: 150



DEFNE

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max. 60W



DEFNE-1

075-004-0001

DEFNE-2

075-004-0002

DEFNE-3

075-004-0003

DEFNE-4

075-004-0004

DEFNE-5

075-004-0005

Sizes (mm)


: A:405 B: 76

A: 344 B: 76 C: 142

A: 325 B: 76 C: 110

A: 500 B: 76 C: 110

A: 800 B: 76 C: 110






BAMBU

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 9W
- 684 lm
- 4000K

MAT CHROME



SMD LED

	BAMBU-1	BAMBU-2	BAMBU-3	BAMBU-4	BAMBU-5
	076-016-0001	076-016-0002	076-016-0003	076-016-0004	076-016-0005
Sizes (mm)	A: 252.2 B: 132	A: 183 B: 148.5 C: 132	A: 300 B: 132 C: 98	A: 500 B: 132 C: 98	A: 800 B: 132 C: 98




LED GARDEN LAMP





MANGO

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max. 75W



MANGO-1


075-009-0001

MANGO-2

075-009-0002



MANGO-3

075-009-0003



GARDENYA

- 220-240V / 50-60Hz
- Stainless Steel Body+PC



GARDENYA-1

075-010-0001

GARDENYA-2

075-010-0002

GARDENYA-3

075-010-0003

GARDENYA-4

075-010-0004


Power	: Max.35W	Max.2x35W	Max.35W	Max.2x35W
Lighting Direction	: Down	Up&Down	Down	Up&Down



GARDEN LAMP

MANOLYA

- 220-240V / 50-60Hz
- Diffuser: Glass



MANOLYA-1

075-008-0001

MANOLYA-2

075-008-0002

MANOLYA-3

075-008-0003

Power	: Max.35W	Max.2x35W	Max.2x60W
Lamp Holder	: GU10	GU10	E27
Body	: Stainless Steel	Stainless Steel	Aluminium
Lighting Direction	: Down	Up&Down	Up&Down
Sizes (mm)	: A: 116 B: 93 C: 85	A: 160 B: 93 C: 85	A: 300 B: 173 C: 108






PROTON

- 85-265V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs


BLACK



POWER LED

	PROTON-4	PROTON-6	PROTON-8
	076-039-0004	076-039-0006	076-039-0008

Power	: 4 W	: 6 W	: 8 W
Luminous Flux	: 360 lm	: 540 lm	: 720 lm
Lighting Direction	: Up&Down	: Up&Down	: Up&Down
Sizes (mm)	: A: 92 B: 120 C: 38	: A: 95 B: 185 C: 38	: A: 95 B: 220 C: 50



LED GARDEN LAMP







SUPERB

- 85-265V / 50-60Hz
- 4200K
- 555 lm
- Average Life: 30.000 Hrs

076 040 0015



15W SMD LED



BLACK




LED GARDEN LAMP


ANDIZ

- BLACK**
- WHITE**

076 037 0009



- 100-240V
- 50-60Hz
- 4200K
- 450 lm
- Average Life: 30.000 Hrs




9W SMD LED





SEKOYA

- BLACK**
- WHITE**

076 038 0004



- 100-240V
- 50-60Hz
- 4200K
- 250 lm
- Average Life: 30.000 Hrs




4W SMD LED






ARENA

076 033 0010



- 100-240V / 50-60Hz
- 750 lm
- 4000K
- Works automatically at dark by photosensor detection.
- Number and letter stickers included (3x1...9, 2x0, 1xA,B,C,D)
- Average Life: 30.000 Hrs






LED GARDEN LAMP / LED HOUSE NUMBER LIGHT

SUGA

- 85-265V / 50-60Hz
- 12W
- 4200K
- Average Life: 30.000 Hrs

BLACK




	SUGA-12/RO	SUGA-12/RC	SUGA-12/SO	SUGA-12/SC
	076-021-0012	076-019-0012	076-022-0012	076-020-0012
Luminous Flux	: 1000 lm	700 lm	900 lm	650 lm




KUKA-5

076 031 0005



- 100-240V / 50-60Hz
- 4200K
- 290 lm
- Average Life: 30.000 Hrs





ZEYTİN

076 032 0012



BADEM

076 028 0012



SUSAM

076 030 0012




ILGIN

076 029 0012



BLACK


- 100-240V / 50-60Hz
- 4200K
- 480 lm
- Average Life: 30.000 Hrs



SMD LED



12W



HURMA

076 010 0005



MERSİN

076 011 0005




GÜRGEN

076 012 0005



BLACK




- 100-240V / 50-60Hz
- 4200K
- 270 lm
- Average Life: 30.000 Hrs



SMD LED



5W




IHLAMUR

076 013 0002



İĞDE

076 014 0002




İNCİR

076 015 0002



BLACK




- 100-240V / 50-60Hz
- 4200K
- 110 lm
- Average Life: 30.000 Hrs



SMD LED



2W



**HORUZ ELECTRIC**

LED Garden Lamp

SERVİ


076 009 0012



BLACK

WHITE

- 100-240V / 50-60Hz
- 4200K
- 750 lm
- Average Life: 30.000 Hrs



BLACK

- 220-240V / 50-60Hz
- 4100K
- Average Life: 30.000 Hrs
- Aluminium Body




SELVİ

SALKIM





ZAKKUM

MEŞE

TAFLAN

**SMD LED**

	SELVİ	SALKIM	ZAKKUM	MEŞE	TAFLAN
	076-007-0004	076-008-0004	076-005-0003	076-004-0006	076-006-0006
Power :	3.5 W	3.5 W	3W	5.5 W	5.5 W
Luminous Flux :	35 lm	65 lm	230 lm	420 lm	200 lm
Lighting Direction :	Up&Down	Up&Down	Down	Up&Down	All Directions




ARDIÇ

076 003 0006

BLACK

- 220-240V / 50-60Hz
- 4100K
- 385 lm
- Average Life: 30.000 Hrs
- Aluminium Body





HOROZ ELECTRIC

LED Solar Lamp



LED SOLAR LAMP





HOROZ ELECTRIC

LED Solar Lamp




SOLARIS



- 3.7V 2.6Ah Li-ion Battery
- 4000K
- Solar Charging Time: 4-6 Hours
- Average Life: 50.000 Hrs

SMD LED


	SOLARIS-1	SOLARIS-2
	078-014-0001	078-014-0002
Power :	2 W	2 W
Luminous Flux :	220 lm (Strong) - 12 lm (Weak)	275 lm (Strong) - 18 lm (Weak)



SIRIUS




- 4000K
- Solar Charging Time: 8-10 Hours
- Average Life: 50,000 Hrs



SMD LED

	SIRIUS-1	SIRIUS-2
	078-012-0001	078-012-0002
Power	1W	2W
Luminous Flux	140 lm (Strong) - 8 lm (Weak)	240 lm (Strong) - 12 lm (Weak)
Battery	3.7V 1200 mAh Li-Ion	3.7V 2200 mAh Li-Ion
Back Light	Yes (Blue)	No



LED SOLAR LAMP / LED SOLAR HOUSE NUMBER LIGHT




OMNIA

078 013 0003



LED HOUSE NUMBER

- Li-Ion Battery 3.7V 1800 mAh
- 4000K
- 4 lm
- Solar Charging Time: 4-6 Hours
- Average Life: 50,000 Hrs
- USB Charging Available
- Number and letter stickers included (3x1..9, 2x0, 1xA,B,C,D)



0.1W SMD LED




MAGIC

078 007 0001



- 3 Ni-MH AA 100 mAh 1.2V
- 6400K
- 9x1.5 lm
- Average Life: 100,000 Hrs



9x0.06W LED





- 6400K
- 1.5 lm
- Average Life: 100.000 Hrs

VENÜS

MARS

NEPTUN


PLUTON

HALLEY

CRYSTAL


ORBIT

LOTUS



	VENÜS	MARS	NEPTUN	PLUTON	HALLEY	CRYSTAL	ORBIT	LOTUS
	078-001-0001	078-002-0001	078-004-0001	078-005-0001	078-006-0001	078-009-0001	078-010-0001	078-011-0001

Battery :	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 100 mAh 1.2V	Ni-MH AA 200 mAh 1.2V	Ni-MH AA 200 mAh 1.2V
ON/OFF :	Yes	Yes	No	No	No	No	Yes	Yes



LED SOLAR LAMP





HOROZ ELECTRIC

LED Recessed Sensor Lamp LED Inground & Recessed Lamp

RUBY




079 028 0002

QUARTZ

079 027 0002

WHITE

- 110-265V / 50-60Hz
- 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs



HOROZ ELECTRIC

LED Recessed Sensor Lamp LED Inground & Recessed Lamp



DIAMOND

079 026 0002


WHITE

BLACK

GOLD

SILVER

- 110-265V / 50-60Hz
- 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs



GOLD


079 025 0003

WHITE

- 220-240V / 50-60Hz
- 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs



WITH PIR SENSOR



ZÜMRÜT

079 001 0003


YAKUT

079 002 0003

WHITE

MAT CHROME

- 185-264V / 50-60Hz
- 86 lm
- 4000K
- Average Life: 30.000 Hrs






AZUR

- 85-265V / 50-60Hz
- 4000K
- Average Life: 50.000 Hrs

MAT CHROME



POWER LED

	AZUR-1	AZUR-3	AZUR-6	AZUR-9	AZUR-18	AZUR-24
	079-029-0001	079-029-0003	079-029-0006	079-029-0009	079-029-0018	079-029-0024
Power	1 W	3 W	6 W	9 W	18 W	24 W
Luminous Flux	100 lm	300 lm	600 lm	900 lm	1800 lm	2400 lm
Sizes (mm)	A: 65 B: 78	A: 110 B: 65	A: 150 B: 90	A: 180 B: 100	A: 200 B: 90	A: 250 B: 100

LED INGROUND & RECESSED LAMP

ELMAS


079 005 0002

MAT CHROME

- 220-240V / 50-60Hz
- 98 lm
- Average Life: 50.000 Hrs



1.8W LED



İNCI

079 004 0002

SAFİR


079 003 0002

MAT CHROME

- 220-240V / 50-60Hz
- 75 lm
- Average Life: 50.000 Hrs




1.2W SMD LED






- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**SEDEF****OLTU****BERİL****PERLE****AMBER****PERA****SMD LED**

	SEDEF	PERLE	OLTU	AMBER	BERİL	PERA
	079-015-0002	079-021-0002	079-016-0002	079-022-0002	079-017-0002	079-023-0002
Power	: 1.6 W	: 1.2 W	: 1.6 W	: 1.2 W	: 1.6 W	: 1.2 W
Luminous Flux	: 90 lm	: 72 lm	: 90 lm	: 72 lm	: 90 lm	: 72 lm
Sizes (mm)	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110	: A: 45 B: 58 C: 70 D: 170	: A: 31 B: 58 C: 45 D: 110





- 220-240V / 50-60Hz
- Aluminium + Stainless Steel
- Average Life: 50.000 Hrs

**MERCAN****AKİK****ONİKS****GÜMÜŞ****BRONZ****BOR****SMD LED**

	MERCAN	GÜMÜŞ	AKİK	BRONZ	ONİKS	BOR
	079-012-0002	079-018-0001	079-013-0002	079-019-0001	079-014-0002	079-020-0001
Power	: 1.6 W	: 0.9 W	: 1.6 W	: 0.9 W	: 1.6 W	: 0.9 W
Luminous Flux	: 90 lm	: 57 lm	: 90 lm	: 57 lm	: 90 lm	: 57 lm
Sizes (mm)	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70	: A: 70 B: 58 C: 105	: A: 45 B: 58 C: 70



- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

**KUVARS****KALSİT****OPAL****KORNET****GRANİT****PIRLANTA****SMD LED**

	KUVARS	KALSİT	OPAL	KORNET	GRANİT	PIRLANTA
	079-006-0002	079-007-0002	079-008-0003	079-009-0002	079-010-0002	079-011-0003
Power	: 1.5 W	: 1.8 W	: 2.7 W	: 1.5 W	: 1.8 W	: 2.7 W
Luminous Flux	: 90 lm	: 105 lm	: 160 lm	: 90 lm	: 105 lm	: 160 lm
Width (mm)	: W: 95	: W: 140	: W: 185	: W: 95	: W: 140	: W: 185





LED Strip / RGB RF Controller / Socket Set
 RGB Socket Set / LED Driver / LED Module Strip
 Touch Controller / RGB Controller / RGB Amplifier




WATERPROOF


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs








220-240V






NEOLED/SLIM



NEOLED



NEOLED/RGB



RGB

SMD LED

	NEOLED/SLIM	NEOLED	NEOLED/RGB
	081-010-0003	081-010-0001	081-010-0002
Power :	4,5 W/m	7,5 W/m	11 W/m
Luminous Flux :	15 lm/LED	19 lm/LED	-
LED :	120 pcs/m, 28x35	120 pcs/m, 28x35	72 pcs/m, 50x50
Socket Sets :	5 sets/100 m Roll	5 sets/100 m Roll	3 sets/50 m Roll
Width :	7 mm	15 mm	10 mm
Thickness :	15 mm	15 mm	20 mm

WATERPROOF




- 220-240V / 50-60Hz
- LED View Angle: 120°
- Average Life: 30.000 Hrs



NEW
PRODUCT



220-240V



SMD LED

	VOLGA	VOLGA/RGB	COLORADO	COLORADO/RGB	GANJ	GANJ/RGB
	081-004-0001	081-004-0002	081-006-0001	081-006-0002	081-009-0001	081-009-0002
Power :	4 W/m	8 W/m	4 W/m	8 W/m	7 W/m	8 W/m
Luminous Flux :	18 lm/LED	-	5 lm/LED	-	5 lm/LED	-
LED :	60 pcs/m, 50x50, Three Chips, Single Row	60 pcs/m, 50x50, Three Chips, Single Row	156 pcs/m, 28x35, Single Chip, Double Row	108 pcs/m, 28x35, Single Chip, Double Row	180 pcs/m, 28x35, Single Chip, Triple Row	180 pcs/m, 28x35, Single Chip, Triple Row
Socket Sets :	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll	5 sets/50 m Roll	3 sets/50 m Roll
Width :	12.7 mm	14.8 mm	12.5 mm	16.5 mm	16.2 mm	16.5 mm
Thickness :	6 mm	6.8 mm	6 mm	6.8 mm	6.2 mm	6.8 mm



RGB RF CONTROLLER

220V / 50-60Hz



VOLGA RGB RF1	COLORADO & GANJ RGB RF1	NEOLED RGB RF1
081-004-0013	081-006-0013	081-010-0013
10 mm	12 mm	10 mm
3x1A, For Max.750W		


VOLGA RGB RF2	COLORADO & GANJ RGB RF2	NEOLED RGB RF2
081-004-0014	081-006-0014	081-010-0014
10 mm	12 mm	10 mm
3x3A, For Max.1500W		



RGB RF CONTROLLER / SOCKET SET / RGB SOCKET SET

SOCKET SET

- 1 pcs 6A Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips




VOLGA SOCKET	COLORADO SOCKET	GANJ SOCKET	NEOLED SOCKET	NEOLED/SLIM SOCKET
081-004-0011	081-006-0011	081-009-0011	081-010-0011	081-010-0015
8 mm	10 mm	12 mm	6 mm	5 mm



RGB SOCKET SET

- 1 pcs 6A 8 Function Socket (220V-)
- 1 pcs Connector
- 1 pcs Middle Plug
- 1 pcs End Cap
- 5 pcs Silicon Clips



VOLGA RGB SOCKET	COLORADO RGB SOCKET	GANJ RGB SOCKET	NEOLED RGB SOCKET
081-004-0012	081-006-0012	081-009-0012	081-010-0012
10 mm	12 mm	12 mm	10 mm





REN

REN/RGB


THAMES

THAMES/RGB

WATERPROOF





- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



 3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC



SMD LED

	REN	REN/RGB	THAMES	THAMES/RGB
	081-001-0001	081-001-0002	081-003-0001	081-003-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips



LED STRIP / LED DRIVER

VESTA

- Input Voltage: AC 176-264V / 50-60Hz
- Output Voltage: DC 12V

WATERPROOF



	VESTA-18	VESTA-25	VESTA-45	VESTA-60	VESTA-100	VESTA-150	VESTA-200
	083-001-0018	083-001-0025	083-001-0045	083-001-0060	083-001-0100	083-001-0150	083-001-0200
Output Power :	18 W	25 W	45 W	60 W	100 W	150 W	200 W
Output Current :	1.5 A	2A	3.75 A	5A	8.5 A	12.5A	17A
Protection Class :	II	II	II	II	I	I	I
28x35 SMD LED Strip :	3.5m	5m	8m	12m	20m	30m	40m
50x50 SMD LED Strip :	1.2m	1.7m	2.5m	4m	6.5m	10m	13m
1.44W LED Module Strip :	12	16	30	40	70	100	160
Size (mm)	A: 186 B: 20 C: 20	A: 186 B: 20 C: 20	A: 307 B: 20 C: 20	A: 307 B: 20 C: 20	A: 220 B: 51 C: 32	A: 230 B: 65 C: 32	A: 252 B: 70 C: 45






NIL

NIL/RGB

AMAZON

AMAZON/RGB





- Average Life: 30.000 Hrs
- LED View Angle: 120°
- PCB Color: White
- With 3M self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



12V DC





SMD LED

	NIL	NIL/RGB	AMAZON	AMAZON/RGB
	081-002-0001	081-002-0002	081-005-0001	081-005-0002
Power :	24 W/5 m Roll	24 W/5 m Roll	72 W/5 m Roll	72 W/5 m Roll
Current :	2A/5 m Roll	2A/5 m Roll	6A/5 m Roll	6A/5 m Roll
Luminous Flux :	4.8 lm/LED	4.8 lm/LED	14.4 lm/LED	14.4 lm/LED
LED :	60 pcs/m, 28x35, Single Chip	60 pcs/m, 28x35, Single Chip	60 pcs/m, 50x50, Three Chips	60 pcs/m, 50x50, Three Chips

VEGA

- Input Voltage: AC 176–264V / 50–60Hz
- Output Voltage: DC 12V

SLIM CASE








	VEGA-10	VEGA-36	VEGA-60	VEGA-100	VEGA-150	VEGA-200	VEGA-250	VEGA-360
	082-001-0010	082-001-0036	082-001-0060	082-001-0100	082-001-0150	082-001-0200	082-001-0250	082-001-0360
Output Power :	10 W	36 W	60 W	100 W	150 W	200 W	250 W	360 W
Output Current :	0,8A	3A	5A	8,5A	12A	17A	20,8A	30A
28x35 SMD LED Strip :	2m	5m	10m	20m	30m	40m	50m	70m
50x50 SMD LED Strip :	1m	1,5m	4m	6,5m	10m	13m	17m	24m
Size (mm) :	A: 40 B: 30 C: 70	A: 57 B: 34 C: 85	A: 40 B: 32 C: 160	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 46 B: 35 C: 188	A: 68 B: 42 C: 225	A: 68 B: 42 C: 225



NELSON

081 014 0001



WATERPROOF


- Average Life: 50.000 Hrs
- 110 lm
- LED View Angle: 160°
- 8.5 gr/module
- 1set: 20 module



12V DC



1.44W SMD LED



LED MODULE STRIP






TOUCH

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- 20s OFF delay
- Brightness %1-100
- 2 Brightness can be saved



TOUCH	TOUCH-RGB
100-003-0288	100-004-0288

Color	: Single	16 million
Output Power	: 144-288W	144-288W
Output Current	: 4Ax3 Channel	4A/Each Color
35x28 LED Strips	: 30 Meters with 60 Leds/Meter	30 Meters with 60 Leds/Meter
50x50 LED Strips	: 10 Meters with 60 Leds/Meter	10 Meters with 60 Leds/Meter
Function	: 5	12





RGB CONTROLLER



RGB Controller 2A	RGB Controller 6A
100-001-0072	100-002-0432

Output Power	: 72 W	216 W-432 W
Output Current	: 2A/Each Color	6A/Each Color
Input Voltage	: DC 12V	DC 12V-DC 24V
Output Voltage	: DC 12V	DC 12V-DC 24V
35x28 RGB LED Strip	: 15 Meters with 60 Leds/Meter	45 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 5 Meters with 60 Leds/Meter	15 Meters with 60 Leds/Meter
Type	: IR	RF





AMPLIFIER

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V

AMPLIFIER-12A	AMPLIFIER-24A
101-001-0144	101-001-0288

Output Power	: 144 W	288 W
Output Current	: 4A/Each Color	8A/Each Color
35x28 RGB LED Strip	: 30 Meters with 60 Leds/Meter	60 Meters with 60 Leds/Meter
50x50 RGB LED Strip	: 10 Meters with 60 Leds/Meter	20 Meters with 60 Leds/Meter





HOROZ ELECTRIC

LED Christmas Light & Drivers

MONTANA

080 001 0004

- 4.5V DC
- 4W/10m
- Average Life: 30.000 Hrs
- Standart Length: 1m / 10 LED
- Package : 10m/Roll

LINKABLE




LED



- Input Voltage: AC 100-240V / 50-60Hz
- Output Voltage: DC 4,5V



	MONTANA-D4	MONTANA-D10
	080-001-0001	080-001-0002
Power	16 W	40 W
For (Meters)	10m-40m	50m-100m
Sizes (mm)	A:50 B:20 C:25	A:60 B:20 C:25



HOROZ ELECTRIC

LED Christmas Light & Drivers





HOROSZ ELECTRIC

LED Lantern / LED Solar Camping Light

VERON


084 037 0015



CCT Adjustable

- 5V DC Micro USB
- 150 lm (3000K)
- 290 lm (4200K)
- 160 lm (6400K)
- 3.7v 1800Ah Rechargeable Lithium Battery
- Duration Time:
 - 6 Hours (3000K-6400K)
 - 4 Hours (4200K)
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE




15W SMD LED




CRESPO

084 036 0025



- 5V DC Micro USB
- 550/195/40 lm
- 3.7V 1.8Ah Rechargeable Lithium Battery
- Duration Time: 1.5-5-20 Hours
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE



25W SMD LED



LED Lantern LED Solar Camping Light Emergency LED Lantern LED Headlight LED Torch LED Emergency Exit Lamp




HOROSZ ELECTRIC




FORLAN

084 023 0010



- 5V DC Micro USB
- 5V DC Adaptor
- 430 lm
- 4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Tube: 1.5 Hours
 - 2 Tubes: 0.7 Hours
- Average Life: 30.000 Hrs

LED LANTERN
RECHARGEABLE




10W SMD LED




ROMARIO

084 022 0010



- 220-240V / 50-60Hz
- 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration Time:
 - 1 Hour for Strong Light
 - 25 Hours for Weak Light
- Average Life: 30.000 Hrs

SOLAR
RECHARGEABLE



10W SMD LED




LED LANTERN / LED SOLAR CAMPING LIGHT




HENRY

084 034 0005




- 220-240V / 50-60Hz
- 6400K
- 200 lm
- 3.6V 1000mAh Rechargeable Ni-Cd Battery
- Average Life: 30.000 Hrs
- Duration Time: 3 Hours
- Selectable 2 Modes Available: Maintained & Non-Maintained
- Stickers included




- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP


EMERGENCY LED LANTERN



MALDINI



- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- EXIT sticker included



- LED LANTERN
- RECHARGEABLE
- EMERGENCY EXIT
- AUTOMATIC LIGHT-UP




	MALDINI-2	MALDINI-3
	084-014-0002	084-014-0003
Power	13 W	16 W
Luminous Flux	330 lm	410 lm
Battery	2x4V 0.9Ah Sealed-Acid	2x4V 0.9Ah Sealed-Acid
Duration Time	3 Hours	3 Hours
Size (mm)	A: 245 B: 75 C: 45	A: 325 B: 75 C: 45



WENGER


084 025 0012



- 220-240V / 50-60Hz
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
 - Step 1: 1 Hour
 - Step 2: 2 Hours
- Average Life: 30.000 Hrs




- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



MESSI

- 220-240V / 50-60Hz or 6V DC
- Average Life: 30.000 Hrs




DESK LAMP MODE



HANGABLE + MOUNTABLE




- LED LANTERN
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



	MESSI-9	MESSI-15	MESSI-23
	084-030-0009	084-030-0015	084-030-0023
Power	9 W	15 W	23 W
Luminous Flux	280 lm-38 lm	420 lm-70 lm	600 lm-100 lm
Battery	4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid	2x4V 1.6Ah Sealed-Acid
Duration Time	3-20 Hours	3-15 Hours	2-10 Hours
Size (mm)	A: 250 B: 50 C: 50	A: 350 B: 50 C: 50	A: 450 B: 50 C: 50


MÜLLER

084 018 0001




- RECHARGEABLE
- AUTOMATIC LIGHT-UP
- AC / DC OPERATED

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Average Life: 30.000 Hrs



BECKHAM



- LED HEADLIGHT
- RECHARGEABLE

- 220-240V / 50-60Hz
- 7000-9000K
- Duration Time:
 - 1 Hour for Strong Light
 - 4 Hours for Weak Light
- Average Life: 30.000 Hrs



	BECKHAM-1	BECKHAM-3
	084-007-0001	084-007-0003
Power	1 W	3 W
Luminous Flux	100 lm	200 lm
Battery	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Beam Distance	20m	30m
Sizes (mm)	A: 70 B: 81 C: 98	A: 85 B: 92 C: 96





HOROZ ELECTRIC LED Torch



ZOLA

084 038 0001

- 5V DC Micro USB
- 54 lm (Strong) 30 lm (Weak)
- 3.7V 1.2Ah Rechargeable Lithium Battery
- Duration Time: 6 Hours (Strong) 12 Hours (Weak)
- Charging Time: 4-6 Hrs
- Average Life: 30.000 Hrs




LED TORCH
RECHARGEABLE



PELE


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
4 Hours for Weak Light
1 Hour for Strong Light

LED TORCH
RECHARGEABLE



	PELE-1	PELE-2	PELE-3
	084-006-0001	084-006-0002	084-006-0003


Power	: 0.5 W	1 W	3 W
Luminous Flux	: 30 lm	73 lm	120 lm
Battery	: 4V 200mAh Sealed-Acid	4V 400mAh Sealed-Acid	4V 900mAh Sealed-Acid
Sizes (m m)	: A: 45 B: 140	A: 50 B: 160	A: 65 B: 170



BEST


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- Duration Time:
1 Hour for Strong Light
4 Hours for Weak Light

LED TORCH
RECHARGEABLE



	BEST-1	BEST-3	BEST-5
	084-024-0001	084-024-0003	084-024-0005


Power	: 1 W	3 W	5 W
Luminous Flux	: 70 lm	120 lm	210 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid	4V 1.6Ah Sealed-Acid
Sizes (m m)	: A: 51 B: 200	A: 65 B: 220	A: 85 B: 240



PUSKAS


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs

LED TORCH
RECHARGEABLE



	PUSKAS-2	PUSKAS-3
	084-005-0002	084-005-0003

Power	: 0.5 W	0.9 W
Luminous Flux	: 25 lm	45 lm
Battery	: 4V 0.4Ah Sealed-Acid	4V 0.9Ah Sealed-Acid
Duration Time	: 4 Hours	5 Hours
Sizes (mm)	: A: 75 B: 195	A: 100 B: 210





MARADONA-2

084 003 0002

- 220-240V / 50-60Hz
- 350 lm
- 4V 6Ah Sealed-Acid Battery
- Duration Time:
4 Hours for Strong Light
16 Hours for Weak Light
- Average Life: 30.000 Hrs

LED TORCH
RECHARGEABLE



LED TORCH





ROBSON

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20,000 Hrs
- Duration Time: 120 minutes

084 020 0002

- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



3W LED



LED EMERGENCY EXIT LAMP




ZOFF

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10,000 Hrs
- Duration Time: 90 minutes

084 019 0001

- EXIT & SAFETY
- RECHARGEABLE
- EMERGENCY
- AUTOMATIC LIGHT-UP



1.5W LED



**HOROZ ELECTRIC**

Light Control Photosensor / Sensor


Light Control Photosensor

FLASH

WHITE

089 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <5-15 Lux
- Load Power: 1000W (6A)




Light Control Photosensor

FLEX

WHITE

089 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)




Light Control Photosensor

LUXOR

WHITE

089 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

**HOROZ ELECTRIC**

Light Control Photosensor / Sensor / Doorbell Wireless Lighting Controller / Timer / Plug in Switch / Dimmer




TUCSON

WHITE

088 001 0009

- Detection Source: 220-240V / AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 12m Max. (<24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <3-2000LUX (adjustable)
- Installation Height: 1.8-2.5m
- Detection Motion Speed: 0.6-1.5m/s




MEGANE

WHITE

088 001 0008

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (<24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: <3 - 2000Lux (adjustable)
- Rated Load: Max. 1200W
- Detection Motion Speed: 0.6-1.5 m/s




CORONA

WHITE**BLACK**

088 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12+1m Max. (<24°C)
- Time-delay: 5 sec - 7+2min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W




LINEA

WHITE**BLACK**

088 001 0003

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (<24°C)
- Time-delay: 5 sec - 8+2 min.
- Ambient Light: <10Lux - 2000Lux
- Rated Load: Max. 1000W



LIGHT CONTROL PHOTOSENSOR / SENSOR




FOCUS

088 001 0001

WHITE

BLACK

- Operation Voltage: 220-240V / 50-60Hz
- Rated Load: Max. 1000W
- Detection Distance: 8 ± 1m Max. (-24°C)
- Time-delay: 5 sec - 10±2 min.
- Ambient Light: < 10Lux - 2000Lux




360°

MONDEO

088 001 0010

WHITE

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 400W
- Detection Distance: 8m Max (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




360°

ROVER

088 001 0011

WHITE

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W
- Detection Distance: 6m Max (-24°C)
- Time Delay: Min. 10sec ± 3sec Max. 15min ± 2min
- Ambient Light: < 3-2000LUX (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s




360°

CORSA

088 001 0006

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m




360°

POLO

088 001 0007

WHITE

- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec ± 3 sec, Max. 12 min ± 1 min
- Ambient Light: < 3 - 2000Lux (adjustable)
- Rated Load: Max 1200W
- Detection Motion Speed: 0.6-1.5 m/s




360°

SMART

088 001 0005

WHITE

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 1200W
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



360°




Detection is possible to go through doors, panes of glass or thin walls



LORD

086 001 0001


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLID

086 001 0002


- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional



SOLO

086 001 0006


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



ALBA

086 001 0004


- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



HELIX

086 001 0003


- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong,
- Hello, Welcome - Alarm
- USB Cable Included



VIOLA

086 001 0005

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional








CONTROLLER

Wireless Lighting Controller Switch



- Working voltage: AC 180-250V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamps 1000W
- Energy saving lamp / LED ≤ 300W
- Working voltage: 12V (A23 alkaline battery)



CONTROLLER-1

105-001-0001

1 Channel

CONTROLLER-2



105-001-0002

2 Channels

CONTROLLER-3


105-001-0003

3 Channels



TIMER

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A




	TIMER-1	TIMER-2	TIMER-3
	108-001-0001	108-002-0001	108-003-0001

Type	: Mechanical Daily	: Digital Weekly	: Mechanical Daily
On/Off Programs	: 24	: 20	: 48
Minimum Setting	: 30 Minutes	: 1 Minute	: 15 Minutes
Power Reserve	: No	: Yes	: Yes

AXIS

113 001 0001

2 X USB CHARGING SOCKET



PLUG IN SWITCH


- Working Voltage: 250V-
- Power: Max.3680W
- Current: 16A
- Child Protection Shutter
- Working signal indicator
- USB O/P: DC 5V, Max 2.1A



HORIZON

112 006 0001

- 250V-
- DIMMER (10A)
- 400W (Incandescent)
- 300W (LED)





HOROZ ELECTRIC

Switch / Socket

ATOM

■ 250V~



112 100 0004

■ ONE WAY SWITCH (10A)



112 100 0007

■ TWO WAY SWITCH (10A)



112 100 0006

■ 2-GANG ONE WAY SWITCH (10A)



112 100 0001

■ GROUNDED SOCKET (16A)



112 100 0003

■ 1-GANG GROUNDED SOCKET (16A)
■ 1-GANG ONE WAY SWITCH (10A)





112 100 0005

■ 1-GANG GROUNDED SOCKET (16A)
■ 2-GANG ONE WAY SWITCH (10A)



112 100 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET



HOROZ ELECTRIC

Switch
Socket





EVA

■ 250V-



112 001 0001

■ ONE WAY SWITCH (10A)




112 001 0003

■ 2-GANG ONE WAY SWITCH (10A)



112 001 0002

■ TWO WAY SWITCH (10A)



112 001 0004

■ PUSH BUTTON (10A)



112 002 0001

■ ILLUMINATED ONE WAY SWITCH (10A)




112 002 0002

■ 2-GANG ILLUMINATED ONE WAY SWITCH (10A)




112 003 0001

■ SOCKET (16A)




112 003 0002

■ 2-GANG SOCKET (16A)




112 004 0001

■ GROUNDED SOCKET (16A)



112 004 0002

■ 2-GANG GROUNDED SOCKET (16A)



SWITCH / SOCKET





MOTOR PROTECTOR



**Motor Protector
Contactor
Thermal Relay
Miniature Circuit Breaker
Residual Current Circuit Breaker
Moulded Case Circuit Breaker**




SAFE

Motor Protector



	114-006-0610	114-006-1625	114-006-2540	114-006-4063
Rated Current (A) :	6-10A	16-25A	25-40A	40-63A
Motor Power (kW) :	4kW	11kW	18,5kW	30kW
Poles :	3 Pole	3 Pole	3 Pole	3 Pole
Type :	AC-3	AC-3	AC-3	AC-3
Rated voltage(V) :	400V	400V	400V	400V
Sizes (mm) :	A: 89 B: 44,5 C:66	A: 89 B: 44,5 C:66	A: 121 B: 61,5 C:105	A: 121 B: 61,5 C:105






SAFE

Contactor



	114-005-0009	114-005-0012	114-005-0018	114-005-0025	114-005-0032	114-005-0040	114-005-0050	114-005-0065
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A
Poles	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO	3 Main + 1NO
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116

	114-005-1009	114-005-1012	114-005-1018	114-005-1025	114-005-1032	114-005-1040	114-005-1050	114-005-1065
Rated Current (A)	9A	12A	18A	25A	32A	40A	50A	65A
Poles	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC	3 Main + 1NC
Type	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3	AC-3
Motor Power (kW)	4kW	5,5kW	7,5kW	11kW	15kW	18,5kW	22kW	30kW
Rated voltage(V)	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	A:47 B:76 C:82	A:47 B:76 C:82	A:47 B:76 C:87	A:57 B:86 C:95	A:57 B:86 C:100	A:77 B:129 C:116	A:77 B:129 C:116	A:77 B:129 C:116




CONTACTOR / THERMAL RELAY

SAFE

Thermal Relay



	114-007-0001	114-007-0002	114-007-0003	114-007-0004	114-007-0005	114-007-0006	114-007-0007
Rated Current (A)	0,63-1A	1-1,6A	2,5-4A	4-6A	7-10A	12-18A	17-25A
Poles	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC	3 Main + 1NO + 1NC
Rated voltage(V)	660V	660V	660V	660V	660V	660V	660V






SAFE

MCB Circuit Breaker



Rated short-circuit breaking capacity : 4.5kA



	114-001-1006	114-001-1010	114-001-1016	114-001-1020	114-001-1025	114-001-1032	114-001-1040	114-002-1002	114-002-1004	114-002-1050	114-002-1063
Rated Current	6A	10A	16A	20A	25A	32A	40A	2A	4A	50A	63A
Poles	1	1	1	1	1	1	1	1	1	1	1
Instantaneous tripping type	B	B	B	B	B	B	B	C	C	C	C
Rated working voltage	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V	230V/400V
Width	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm	17.5 mm

	114-002-2006	114-002-2010	114-002-2016	114-002-2020	114-002-2025	114-002-2032	114-002-2040	114-002-2050	114-002-2063
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A
Poles	2	2	2	2	2	2	2	2	2
Instantaneous tripping type	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm	35 mm



	114-002-3006	114-002-3010	114-002-3016	114-002-3020	114-002-3025	114-002-3032	114-002-3040	114-002-3050	114-002-3063	114-002-3080	114-002-3100
Rated Current	6A	10A	16A	20A	25A	32A	40A	50A	63A	80A	100A
Poles	3	3	3	3	3	3	3	3	3	3	3
Instantaneous tripping type	C	C	C	C	C	C	C	C	C	C	C
Rated working voltage	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Width	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	52.5 mm	80.7 mm	80.7 mm



MINIATURE CIRCUIT BREAKER

**SAFE****RCCB Circuit Breaker**

	114-003-2025	114-003-2040	114-003-4025	114-003-4040	114-003-4063	114-003-4080	114-003-4100
Rated Current (A)	: 25A	40A	25A	40A	63A	80A	100A
Poles	: 2 Pole	2 Pole	4 Pole	4 Pole	4 Pole	4 Pole	4 Pole
Instantaneous tripping type	: AC	AC	AC	AC	AC	AC	AC
Rated short-circuit breaking capacity (kA)	: 4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA	4.5kA
Rated working voltage(V)	: 230V	230V	400V	400V	400V	400V	400V
Rated Residual Current(mA)	: 30	30	30	30	30	30	30
Sizes (mm)	: A: 35 B: 80 C: 73	A: 35 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 70 B: 80 C: 73	A: 72 B: 81 C: 74	A: 72 B: 81 C: 74

**SAFE****MCCB Circuit Breaker**

	114-004-3040	114-004-3050	114-004-3063	114-004-3100	114-004-3125	114-004-3160	114-004-3200	114-004-3250	114-004-3400	114-004-3630
Rated Current (A)	: 40A	50A	63A	100A	125A	160A	200A	250A	400A	630A
Poles	: 3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole	3 Pole
Instantaneous tripping type	: C	C	C	C	C	C	C	C	C	C
Rated short-circuit breaking capacity (kA)	: 20kA	20kA	20kA	35kA	35kA	35kA	35kA	35kA	35kA	35kA
Rated working voltage(V)	: 400V	400V	400V	400V	400V	400V	400V	400V	400V	400V
Sizes (mm)	: A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 135 B: 78 C: 74	A: 150 B: 92 C: 69	A: 150 B: 92 C: 69	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 165 B: 101 C: 86	A: 257 B: 150 C: 106.5	A: 270 B: 182 C: 110




Lamp Holder




094 004 0001

10 cm. 20 cm.




094 004 0002

15 cm.




094 001 0001


BAKELITE




094 001 0002



094 001 0003




094 001 0004




094 002 0001


PLASTIC




094 002 0002



094 002 0003




094 002 0004




094 003 0001


PORCELAIN




094 003 0002



094 003 0003



094 003 0004




LAMP HOLDER



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable


Starter



	S2	S10
220-240V SINGLE :	4-22W	4-65W
220-240V SERIES :	4-22W	-
110-130V SINGLE :	4-22W	-

TRANSFORMER

- 220-240V / 50-60Hz
- 12V AC



TRANSFORMER-60

TRANSFORMER-105

093-001-0060

093-001-0105

Power : 60 W

105 W



HOROZ ELECTRIC

Starter / Transformer / Adhesive Tape / Nail Cable Clip / Cable Tie / Coaxial Cable / Network Cable



ADHESIVE TAPE

- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW



■ 10 YARDS

■ 20 YARDS

NAIL CABLE CLIP



CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48

CABLE TIE




- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020

RG6


COAXIAL CABLE
100m ROLL

6,8 PVC | 64x0,12 AL. BRAIDING | AL. FOIL BONDED | 4,8 FPE | 1,02 CCS

UTP

■ NETWORK CABLE
305m ROLL

UTP Cat5e



UTP Cat6



IP 68 CONNECTOR

- 250V~/16A
- Wire Range: 0.5 - 2.5 mm²
- Cable Diameter: 6.5 to 11 mm
- Screwless 3 Pin Connection




IP 68 CONNECTOR-1	IP 68 CONNECTOR-2
106-004-0001	106-004-0002
Pole : 1 Pole	2 Poles






SLIM CONNECTOR

- 450V-
- Max. 32A
- Wire Range: 0.2 - 4 mm²
- Transparent



SLIM CONNECTOR-2	SLIM CONNECTOR-3	SLIM CONNECTOR-5
103-002-0002	103-002-0003	103-002-0005
Pole : 2 Poles	3 Poles	5 Poles






CONNECTOR


- 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Spring Clamping 28-10AWG



CONNECTOR-2	CONNECTOR-3	CONNECTOR-5
103-001-0002	103-001-0003	103-001-0005
Pole : 2 Poles	3 Poles	5 Poles



WIRE SPRING



WIRE SPRING-2/1.5	WIRE SPRING-2/2.5	WIRE SPRING-2/6	WIRE SPRING-3/1.5	WIRE SPRING-3/2.5	WIRE SPRING-3/6
106-002-0015	106-002-0025	106-002-0060	106-003-0015	106-003-0025	106-003-0060
Pole : 2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range : 0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage : 5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V

Pole	: 2 Poles	2 Poles	2 Poles	3 Poles	3 Poles	3 Poles
Wire Range	: 0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²	0.2-1.5 mm ²	0.5-2.5 mm ²	1.5-6.0 mm ²
Current / Voltage	: 5A/380V	10A/380V	25A/380V	5A/380V	10A/380V	25A/380V


TERMINAL BLOCK

- 60 A, 25 mm²
- 30 A, 16 mm²
- 10 A, 10 mm²
- 5 A, 6 mm²
- 3 A, 4 mm²



REEL

- 230V~/50-60Hz
- Max. 3000W
- Max. 13.04A
- 3x1.5 mm²
- 4 Sockets
- Overload Protection




REEL-15	REEL-25	REEL-50	EMPTY-25
104-006-0015	104-006-0025	104-006-0050	104-007-0025
Cable Length : 15 Meters	25 Meters	50 Meters	Max. 25 Meters
Sizes (mm) : A:200 B:260 C:150	A:215 B:314 C:170	A:265 B:345 C:210	A:230 B:310 C:195

Cable Length	: 15 Meters	25 Meters	50 Meters	Max. 25 Meters
Sizes (mm)	: A:200 B:260 C:150	A:215 B:314 C:170	A:265 B:345 C:210	A:230 B:310 C:195



KaçmazGrup



www.kacmazgroup.com

 twitter.com/HorozElectric

 www.facebook.com/horozelectric

 www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti



E x p e r i e n c e i n L i g h t i n g



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **KaçmazGrup**

www.horozelektrik.com